SUNRISE MEDICAL

ARGON²

Deliver to:		UK CA	Deliver to:	
Name:			Name:	
Street:			Street:	
Town:	Postal code:		Town:	Postal code:
E-Mail:			E-Mail:	
Tel:	Fax:		Tel:	Fax:

Order date:	CE	Marked for:
Purchase order:		
Number required:		Sunrise order no:

All Sunrise Medical wheelchairs and powerchairs are compatible with JAY cushions and backrests. JAY

● = Standard ☐ = Cost option ○ = No cost option

Customer Services fax number **0845 605 66 89**

Customer Services email **orders@sunmed.co.uk**

Max. user weight: 125kg // 140 kg (2)

USER WEIGHT _____ **kg**

Mandatory information to ensure correct configuration

Transportation Approved

Details of options can be found in the Quickie Manual Wheelchair Accessory Guide

Base Price
£2,250

Part no.: 65100001

AGN01

Please consult our colour catalogue, to review your colour choice at the end of the order form

CLIENT MEASUREMENTS

Seat Width in cm

Seat Depth in cm	30 cm	32 cm	34 cm	36 cm	38 cm	40 cm	42 cm	44 cm	46 cm	48 cm	50 cm
32 cm	○	○	○	○	○	○	○	○	○	○	○
34 cm	○	○	○	○	○	○	○	○	○	○	○
36 cm	○	○	○	○	○	○	○	○	○	○	○
38 cm	○	○	○	○	○	○	○	○	○	○	○
40 cm	○	○	○	○	○	○	○	○	○	○	○
42 cm	○	○	○	○	○	○	○	○	○	○	○
44 cm	○	○	○	○	○	○	○	○	○	○	○
46 cm	○	○	○	○	○	○	○	○	○	○	○
48 cm	○	○	○	○	○	○	○	○	○	○	○
50 cm	○	○	○	○	○	○	○	○	○	○	○
52 cm	○	○	○	○	○	○	○	○	○	○	○

All measurements are in cm and without a cushion

Front Seat Height in cm

Front Castor	Fork type	45	46	47	48	49	50	51	52
3"	111mm	○	○	○					
	123mm **(1)**			○	○	○			
4"	111mm	○	○	○	○	○			
	123mm **(1)**			○	○	○	○		
	Frog leg **(1)**					○	○	○	
5"	111mm				○	○	○		
	123mm **(1)**				○	○	○	○	
	Frog leg **(1)**							○	○
	123mm **(1)**						○	○	○

Your rear seat height can only be between 0cm and 13cm below your front seat height:
i.e. rear seat height CANNOT be above front seat height.
i.e. rear seat height CANNOT be more than 13cm below front seat height.
More info, see page 2

Rear seat height in cm

Rear Wheels	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52
22"	○	○	○	○	○	○	○	○	○	○	○	○	○						
24"			○	○	○	○	○	○	○	○	○	○	○	○	○	○			
25"				○	○	○	○	○	○	○	○	○	○	○	○	○	○		
26"						○	○	○	○	○	○	○	○	○	○	○	○	○	○

(1) compatible with power add on devices

(2) 136kg in combination with AGN090100 "Crash Test Option"

			£
SEAT UPHOLSTERYS AND CUSHIONS			
Seat Slings:			
AGN020002	○	Seat sling with 1 utility bag *(Std default option)*	
AGN020003	☐	Seat sling with 2 utility bag *(only from SW 34 cm)*	£68
AGN020004	☐	Seat sling with utility bag and catheter bag *(only from SW 34 cm)*	£140
AGN020012	○	Seat sling airflow with one utility bag *(only from SW 34-46 cm)*	
AGN020017	☐	Seat sling airflow with two utility bags *(only from SW 34-46 cm)*	£68
AGN020018	☐	Seat sling airflow with utility bag and catheter bag *(only from SW 32-46 cm)*	£140
AGN020000	○	Without seat sling	

Seat cushion black cover:

Foam composite: (medium soft)	Thickness:	*AGN020101*	☐ 3 cm	*AGN020102* ☐ 5 cm	£84
Latex: (very soft)	Thickness:	*AGN020103*	☐ 5 cm		£84

JAY Cushions - for complete product range see Jay order forms:

JAY020002	☐	Jay Basic	£73
JAY020001	☐	Jay Easy Visco	£177
JAY020007	☐	JAY Easy Fluid	£406
JAY020004	☐	JAY Lite	£286

Seat accessories

AGN090018	☐	Positioning belt	£73

BACKREST

Back height range
Choose back height factory setting (cm).
Height adjustments possible in the range 25-30 cm; 30-40 cm; 40-45 cm.

25 - 30	30 - 40		40 - 45
○ 25	○ 30	○ 37.5	○ 40
○ 27.5	○ 32.5	○ 40	○ 42.5
○ 30	○ 35		○ 45

AGN030015	○	Angle adj. Back (fold down) *(-31° to +15°)*	*(only available black anodized style package)*	
AGN030102		☐ Double locking		£94
AGN030012	○	Angle adj. Back (fixed) *(-31° to +15°)*	*(only available black anodized style package)*	

Push handles: Choose only one option

AGN030200	○	Without push handles		
AGN030201	○	Integral push handles long		
AGN030203	☐	Fold-down push handles	*(only available from back height 32.5 cm)*	£94
AGN030204	☐	Height adj push handles	*(only available from back height 32.5 cm)*	£219
AGN030205	☐	Height adj push handles for Jay backs	*(only available from back height 32.5 cm)*	£219

Backrest upholstery adjustable

AGN030316	○	EXO Backrest sling, synthetic fibre, padded, adjustable, 1 accessory bag, black (Exo Evo Version) Colour, binding tape: ● Black ○ Orange ○ Silver ○ Red ○ Blue	
AGN030317	○	EXO PRO Backr. sling, synthetic fibre, padded, adj., breathable spacer fabric, accessory bag, black (Exo Evo Version) Colour, binding tape: ● Black ○ Orange ○ Silver ○ Red ○ Blue	
AGN030000	○	Without backrest upholstery	

						£
JAY BACKS						
JAY 3 Carbon - Shallow Contour						
Low Thoracic:	☐	JAY060001	Short - 17 cm		☐ JAY060002 Tall - 24 cm	£853
Mid Thoracic:	☐	JAY060003	Short - 30 cm		☐ JAY060004 Tall - 38 cm	£853
JAY 3 Accessory bag						
JAY090058	☐	JAY J3 Accessory bag				£63
Jay 3 Back Headrests						
JAY030004	☐	Jay Flip Back Headrest (J3EUHDFH & J3EUHDLSP)			*(only with Jay 3 backs)*	£359
JAY030006	☐	Jay Std. Headrest (J3EUHDXH & J3EUHDLSP)			*(only with Jay 3 backs)*	£245
SIDEGUARDS & ARMRESTS						
AGN040107	○	Plastic detachable sideguard				
AGN040102	☐	Straight aluminium sideguard				£156
AGN040103	☐	Straight aluminium sideguard with fender			*(min seat height 39 cm)*	£156
AGN040101	☐	Straight carbon slim style sideguard	**(1)**			£260
AGN040104	☐	Straight carbon sideguards with fender			*1926 ndbike axle)*	£260
AGN040108	☐	Padded tubular armrest			*(not in combination with handbike axle)*	£167
		Single post armrest with:			*(Quickie style)*	
	AGN040050	☐ short armpad (25 cm)	*AGN040051*	☐ long armpad (36 cm)		£188
AGN040052	☐	Tool height adj. armrest (short & long armpad - length adj.)				£188
AGN040000	○	Without Sideguard				
LEGREST & FOOTPLATES						
AGN050029	○	Tubular footrest lightweight			*(lower leg length 36 cm - 50 cm)*	
AGN050030	☐	Tubular footrest lightweight with flat cover			*(lower leg length 36 cm - 50 cm)*	£99
AGN050025	☐	Platform footrest lightweight composite plate			*(lower leg length 36 cm - 50 cm)*	£156
AGN050024	☐	Platform footrest lightweight alu plate			*(lower leg length 36 cm - 50 cm)*	£203
AGN050026	☐	Platform footrest lightweight carbon plate			*(lower leg length 36 cm - 50 cm)*	£240
AGN050034	☐	Platform footrest lightweight high mount			*(LLL 22 - 39 cm)*	£203
AGN050125	☐	Performance footrest alu angle adj.			*(lower leg length 36 cm - 50 cm)*	£297
AGN050127	☐	Foot positioning plate			*(only with platform footplates lightweight angle & depth adjustable)*	£26
AGN050020	○	Composite footplate divided	**(2)**		*(SW 38-50cm; LLL 38 - 50 cm)*	
AGN050022	☐	Alu footplate divided	**(2)**		*(SW 34 - 50; lower leg length 38 cm - 50 cm)*	£156

Lower leg length (LLL) Attention: LLL has to be 3 cm less than seat height front; all measurements are in cm

○	22	○	23	○	24	○	25	○	26	○	27	○	28	○	29
○	30	○	31	○	32	○	33	○	34	○	35	○	36	○	37
○	38	○	39	○	40	○	41	○	42	○	43	○	44	○	45
○	46	○	47	○	48	○	49	○	50						

LLL 22 - 35 cm only with high mounted footrest; for all other footrests from LLL 36 - 50 cm.

FRAME VERSIONS (first choose frame angle then frame inset)					
AGN010601	○	User Weight max.125kg			
AGN010602	○	User Weight max.140kg			
AGN010013	○	Fixed frame 88° (EU 92 degree)			
AGN010012	○	Fixed frame 80° (EU 100 degree)			
AGN010100	○	Frame inset: 0cm			
AGN010103	○	Frame inset: 3cm			
AGN090015	☐	Preparation for add on devices **(4)**		*(max. 120 kg; only 0° camber)*	£229
AGN010500	☐	Handbike axle	**(3)**	*(max 100kg; not in combination with amputee axle and padded tubular armrest)*	£380
AGN070500	☐	Amputee axle		*(not in combination with handbike axle and padded tubular armrest)*	£229

(1) ***With 24“ rear wheel minimum rear seat height 41 cm; with 25” rear wheel minimum rear seat height 43 cm***

(2) ***With 3 cm inset divided footplates are available from sw 40 composite and SW 36 alu footplate***

(3) ***Not with tip assist***

(4) ***Necessary for e-fix or P105 attachment***

						£
		AXLE PLATE & CENTRE OF GRAVITY (COG)			*(measured from front of back post; choose only one option)*	
COG32	○	3.2 cm	*COG80*	○	8.0 cm (Sport or pair of anti tip tubes only)	
COG44	○	4.4 cm	*COG92*	○	9.2 cm (Sport or pair of anti tip tubes only)	
COG56	○	5.6 cm	*COG104*	○	10.4 cm (Sport or pair of anti tip tubes only)	
COG68	○	6.8 cm				
		FRAME ACCESSORIES			*(choose either tip assist or anti- tip tubes, not both)*	
		Tip assist (step tube)				
AGN090001	☐	Left	*AGN090002*	☐	Right	£37
AGN090003	☐	Pair				£73
AGN090009	☐	Crutch holder			*(only in combination with tip assist)*	£84
		Anti-tip tubes swing-away				
AGN090004	☐	Left	AGN090005	☐	Right	£130
AGN090006	☐	Pair				£203
		Anti-tip tubes pluggable				
AGN090007	☐	Anti-tip tubes pluggable			*(Pair)*	£99
		Anti tip flip up (user operated)				
AGN090033	☐	Left	AGN090008	☐	Right	£182
AGN090035	☐	Sport anti-tip **(4)**				£364
AGN090010	☐	Transit wheels			*(3")*	£245
AGN090016	☐	Frame protection (impact guard)				£89
		EMPULSE F55 BUNDLING			*1926*	
EMO000101	○	With F55 order, not mounted to the wheelchair			*(Please use separate OF to order the F55.)*	
EMO000102	○	With F55 order, mounted to the wheelchair			*(Please use separate OF to order the F55.)*	
		PREPARATION FOR ATTITUDE ADD-ON BIKE				
AGN090211	☐	Preparation for ATTITUDE, w/o ATTITUDE order **(3)**			*(docking pins assembled)*	£130
AGN090212	○	Preparation for ATTITUDE, with ATTITUDE order **(3)**			*(docking pins assembled; ATTITUDE order separately)*	
		FORKS			*(compare with your choice on the first page)*	
AGN080013	●	Carbotecture fork (111mm forks only)			*(colours: see Stylepackage on last page)*	
AGN080029	●	Aluminium fork (123mm forks only) **(1)**			*(colours: see Stylepackage on last page)*	
AGN080007	☐	FROG LEG fork			*(not in combination with 3" & all ALU casters; only black, max user weight 125 kg)*	£380
		STANDARD CASTOR			*(compare with your choice on the first page)*	
AGN080301	○	Solid				
AGN080302	○	Soft			*(only for 5" & 6")*	
AGN080304	☐	Solid with aluminium rim			*(only for 4" and 5")*	£52
AGN080306	☐	Soft with aluminium rim (wide)			*(only for 4" and 5")*	£52
		REAR WHEELS			*(compare with your choice on the first page; choose only one wheel type)*	
		NOTE: for users with higher user weight than 100 kg, we recommend cross spoked wheels				
AGN070001	○	Universal Cross spoked			*(not with 25")*	
AGN070002	○	Design wheel			*(not with 22" or 25")*	
AGN070003	○	Lightweight wheel			*(not with 26"; max user weight: 125 kg)*	
AGN070004	☐	Proton Wheels			*(not with 26"; max user weight: 100 kg)*	£104
AGN070005	☐	Spinergy wheels 18 spokes			*(not with 22"; black spokes; other colours available via B4M)*	£515
AGN070009	☐	Mountainbike Rear wheel			*(only with 24", mountain bike tyres & aluminium rim, black coated)*	£375
AGN070010	☐	Additional Mountain Bike wheels			*(only with 24"; comes always with mountainbike tyres)*	£609
AGN070000	○	Without wheels				
		TYRES			*(choose only one tyre type)*	
AGN070101	○	Right Run (standard slick)			*(not in 25")*	
AGN070102	○	Solid tyres (puncture proof)	**(2)**		*(not with 26")*	
AGN070107	○	Schwalbe One (Slight puncture protection)			*(only 24")*	
AGN070104	☐	Marathon plus evolution (puncture resistant)			*(not in 22")*	£99

(1) ***compatible with power add on devices***

(2) ***Proton and Light Weight wheel only with 24" & 25"solid tyre ; Spinergy wheels only with 24" solid tyre***

(3) ***Max front frame width 46cm, max 100kg user weight***

(4) ***Not with 22" rear wheel***

					£
		HANDRIM			
AGN070202	○	Aluminium silver anodized	**(1)**		
AGN070201	○	Aluminium silver powder coated	**(1)**	*(not with 26" and Spinergy wheels)*	
AGN070204	☐	Stainless steel		*(not with 25" wheels; not with Spinergy wheels)*	£104
AGN070203	○	Aluminium colour powder coated		*(not with Spinergy wheels)*	
AGN070205	☐	Titanium		*(only 24"; 26" wheels; not with Spinergy wheels)*	£250
AGN070206	☐	Titanium clear powdercoated		*(only 24" wheels; not with Spinergy wheels)*	£250
AGN070207	☐	Supergrip		*(Not with mountain bike wheels)*	£260
AGN070208	☐	Max Grepp		*(only 22", 24"wheels; not with Spinergy wheels)*	£364
AGN070212	☐	Handrims, Ellipse 3R, black		*(ergonomic handrims with rubber-strip; only 24" and 25")*	£130
AGN070250	☐	Handrim cover		*(only 22" & 24"wheels)*	£115
Handrim mounting	*AGN070317*	○ Close = 17mm		*(12,5 mm with lightweight & Proton wheels)*	
	AGN070327	○ Wide = 27mm		*(not with lightweight & spinergy wheel and alu handrim)*	
	AGN070307	○ Extra close = 7mm		*(only with stainless steel)*	
		WHEEL CAMBER		*(choose only one option)*	
AGN070600	○	0°			
AGN070603	○	3°			
AGN070606	○	6°			
AGN070609	○	9°		*(not with handbike axle)*	
		SPOKE GUARDS (only available in 22" & 24")			
	☐	Spoke guards	Number:	Description:	£156

Please consult the following page of this order form to choose your selection or to order a copy of our brochure please call 0845 605 66 88 or e-mail literaturerequest@sunmed.co.uk.

You can also view the brochure online by visiting www.sunrisemedical.com and navigating to Quickie Argon. You will find the brochure under "Multimedia & Downloads".

		WHEEL LOCKS (Choose only one option)		
AGN060001	○	Standard wheel lock		
AGN060023	○	Compact wheel lock	*(only with 0°/3° camber)*	
AGN060002	☐	Knee lever wheel lock		£99
AGN060010	☐	Wheel lock extension knee lever brake lock	*(only on knee lever wheel lock)*	£52
AGN060006	☐	One arm wheel lock left	*(only with 0°/3° camber)*	£208
AGN060007	☐	One arm wheel lock right	*(only with 0°/3° camber)*	£208
		ACCESSORIES		
AGN090000	●	Tool kit		
AGN090100	●	Transportation brackets - Crash Test Option **(3)**		
AGN090024	☐	High pressure pump		£94
AGN090025	☐	Air pump		£21
AGN090030	☐	Back pack		£78
AGN090026	☐	Mobile phone pocket		£58

(Max user weight: 100kg)

(1) Not available mounting wide with Lightweight & Proton wheels

(2) Not in combination with performance footrest and high mounted footrest

(3) max. user weight 136kg

● = Standard ○ = No cost option ☐ = Cost option

COLOURS	Please consult our colour catalogue, to review your colour choice at the end of the order form							
	Frame	Handrim £78	Hub/rim £208	(1)		Frame	Handrim £78	Hub/rim £208	(1)
01 Matte Black	○	☐	☐		20 Mystic Purple	○		☐	
02 Gloss Black	○	☐	☐		22 Velocity Yellow	○		☐	
03 Metallic Shadow	○	☐			09 Salute Green	○	☐		
04 Starlight White	○	☐			10 Velvet Sapphire	○	☐		
05 Silver Ore	○	☐			13 Brilliant Ocean	○	☐		
06 Storm Gray	○	☐			16 Cherry Lustre	○	☐	☐	
07 Desert Tan	○	☐			18 Pink Power	○	☐		
08 Desert Sage	○	☐			19 Satin Rose	○	☐		
11 Midnight Blue	○	☐			21 Solar Orange	○	☐		
12 Royal Blue	○	☐	☐						
14 Scarlet Noir	○	☐							
15 Red Pepper	○	☐	☐						
17 Turbo Green	○	☐							

Style Package (Colours for Forks)

AGN100502	●	Black
AGN100503	☐	Silver
AGN100501	☐	Orange

(1) only with universal cross spoked rear wheels

Comments for special build:

Argon² - Base Price	**£2,250**
Option price	**£**
Packaging and transport	**£**
Exclusive VAT	**£**
VAT.	**£**
Total Price	**£**

SPOKE GUARDS - 22" & 24" ONLY



HUM070823 - Princess



HUM070819- Monkeys



HUM070818 - Jungle Fever



HUM070816 - Happy Lions



HUM070820 - Oriental



HUM070829 - Superhero



HUM070814 - Graffiti



HUM070821 - Pirates



HUM070811 - Feather



HUM070806 - Chrome Wheel



HUM070817 - Hot Wheels



HUM070802 - Basketball



HUM0708036 - Basketball 2



HUM070822 - Pool



HUM070812 - Flying Water



HUM070828 - Space



HUM070827 - Silk



HUM070833 - Zebra




HUM070813 - Galactica



HUM070830 - Tiger

Please follow this measuring method:

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.



Seat width (SW):

a) For the user: Allow space between sideguard and hip on each side of the chair (approx. 1 - 2cm altogether)

b) On the wheelchair: From outside frame tube to outside frame tube.

Seat depth (SD):

a) For the user: When sitting upright: leave space for 2 - 3 fingers between front edge of the seat upholstery and back of knee (approx. 3 - 6 cm). Care must be taken with adj. upholstery.

b) On the wheelchair: From back tube to front of seat upholstery.

Front seat height:

a) For the user: When sitting with 90° knee angle:
From back of knee to bottom of shoe sole.

b) On the wheelchair: From front of seat tube to the ground .
(min. 3cm longer than user measurement)
Remember to include the cushion height.

##

Rear seat height:

b) On the wheelchair: From back of seat tube to the ground.

Note: Max. seat height difference rear to front is 13 cm


Back height:

a) For the user: From the seat, including cushion, to be no more than 1 - 2 cm below the lower shoulder blade.

b) On the wheelchair: From back of seat tube to upper edge of backrest upholstery.

Note: The user's ability to sit upright has a major influence on the back height and it can therefore differ considerably

Back angle: **Important:** The back height depends on the degree of disability.
0° is the angle 90° to the ground. Negative angles are <90° and positive angles are >90°.



Technical Data Overview:

Overall dimensions:		**Overall width with:**	**24" rear wheel**	**25" rear wheel**
Max overall height:	90 cm	For 0° camber:	SW + 20 cm	SW + 20 cm
Max overall length:	91 cm	For 3° camber:	SW + 22 cm	SW + 26 cm
		For 6° camber:	SW + 28 cm	SW + 32 cm
		For 9° camber:	SW + 34 cm	SW + 38 cm

Please note that the matrix is based on a std configuration:
Std chair 40 x 40 cm; 3° camber; 5,60 cm CoG; Seat angle of 8°
All changes in the configuration might change the seat heights.
Manufacturing tolerances of +/- 1 cm



AGN020002
Seat sling with 1 utility bag



AGN090018
Positioning Belt



JAY020002
JAY Basic
(picture shown without upholstery)



JAY020001
JAY Easy Visco
(picture shown without upholstery)



JAY020004
JAY Lite
(picture shown without upholstery)



AGN030201
Integral push handles long



AGN030203
Fold down push
handles



AGN030205
Height adjustable
push handles for Jay



AGN030316
EXO backrest sling




AGN030317
EXO PRO backrest sling



AGN040102
Aluminium sideguard w/o fender



AGN040101
Slim style sideguard



AGN040103
Aluminium sideguard with fender



AGN040104
Carbon sideguard with fender



AGN040107
Composite sideguard detachable




AGN040108
Padded tubular armrest



AGN040051
Single post armrest with long armpad



AGN040052
Tool height adj. armrest



AGN050029
Tubular footrest lightweight



AGN050030
Tubular footrest lightweight with flat cover



AGN050025
Platform footrest LW composite plate



AGN050026
Platform footrest LW carbon plate



AGN050125
Performance footrest alu angle adj



AGN050127
Foot positioning plate




AGN050020
Composite footplate divided




AGN050022
Alu footplate divided

Frame inset table (Graphs below are showing an example for SW 34)

		Seat Width (cm)										
Inset		**30**	**32**	**34**	**36**	**38**	**40**	**42**	**44**	**46**	**48**	**50**
0 cm	Frame Width Inside	24	26	28	30	32	34	36	38	40	42	44
	Frame Width Casterhouse	41	43	45	47	49	51	53	55	57	59	61
3cm	Frame Width Inside	NA	NA	22	24	26	28	30	32	34	36	38
	Frame Width Casterhouse	NA	NA	40	42	44	46	48	50	52	54	56







AGN090001
Tip assist left



AGN090004
Anti-tip tubes SA



AGN090007
Anti tip tubes pluggable



AGN090035
Sport anti-tip



AGN090008
Anti tip flip up
User operated



AGN090010
Transit wheels



AGN090016
Frame protection



AGN080013
Carbotecture fork



AGN080007
FROG LEG fork



AGN070001
Universal Cross spoked



AGN070002
Design Wheel



AGN070003
Light weight wheel



AGN070004
Proton Wheel



AGN070005
Spinergy Wheel - 18 spoke



AGN070101
Right Run



AGN070107
Schwalbe One



AGN070102
Solid Tyres



AGN070104
Marathon Plus
(puncture proof)



AGN070009
Mountain bike rear
wheel

F55 BUNDLING - NOGO MATRIX FOR 24" BACKWHEELS

	Seat Depth						
COG	380	400	420	440	460	480	500
40	✗	✗	✗	✓	✓	✓	✓
60	✗	✗	✗	✗	✓	✓	✓
70	✗	✗	✗	✗	✓	✓	✓
80	✗	✗	✗	✗	✗	✓	✓
90	✗	✗	✗	✗	✗	✓	✓
100	✗	✗	✗	✗	✗	✗	✓
110	✗	✗	✗	✗	✗	✗	✓
120	✗	✗	✗	✗	✗	✗	✗
130	✗	✗	✗	✗	✗	✗	✗



AGN070208
Max Grepp



AGN070207
Supergrip



AGN070212
Ellipse 3R



AGN060001
Standard Wheel lock



AGN060003
Compact wheel lock



AGN060002
Knee lever wheel lock



AGN060007
One arm wheel lock
right



AGN090000
Tool kit



AGN090024
High pressure pump



AGN090025
Air pump



AGN090030
Back pack



AGN090026
Mobile phone pocket