

SUNRISE MEDICAL

QUICKIE XENON²

Invoice to:		Deliver to:	
Name:		Name:	
Street:		Street:	
Town:	Postal code:	Town:	Postal code:
E-Mail:		E-Mail:	
Tel:	Fax:	Tel:	Fax:

Order date:	Marked for:
Purchase order:	
Number required:	Sunrise order no:

☐ Order ☐ Quotation ☐ Built 4 me (longer leadtime) ● = Standard ○ = No cost option ☐ = Cost option

Base Price
£3,220

Max. user weight: 110Kg / 140kg
USER WEIGHT _____ **kg**

Fax number: **+44 (0)845 605 66 89**
Email: **orders@sunmed.co.uk**

Mandatory information to ensure correct configuration
Part no: 76 800 001 **MSH01**

UK CA CE

FRAME TYPE - Please choose required Frame option (Illustrated on back pages)

Open frame ○ ***(max. user weight 110kg)*** (Page 12) **Hybrid frame** ○ ***(max user weight 140kg)*** (Page 13)

CLIENT MEASUREMENT - All measurements in cm without cushion

SEAT WIDTH SELECTION - measured from outside frame tube to outside frame tube

32 cm	34 cm	36 cm	38 cm	40 cm	42 cm	44 cm	46 cm	48 cm	50 cm
○	○	○	○	○	○	○	○	○	○

SEAT DEPTH SELECTION

34 cm	36 cm	38 cm	40 cm	42 cm	44 cm	46 cm	48 cm	50 cm
○	○	○	○	○	○	○	○	○

FRONT SEAT HEIGHT SELECTION: independent of front castors, forks and frame versions

	Fork (length)	Frame:	43	44	45	46	47	48	49	50	51	52	53	54	55
3"	111 mm	low	○	○	○										
	123 mm *(1)*				○	○	○								
	Frog Leg *(1)*						☐	☐							
	One Arm *(1)*		☐	☐	☐										
	111 mm	high					○	○	○						
	123 mm *(1)*								○	○	○				
	Frog Leg *(1)*										☐	☐			
	One Arm *(1)*						☐	☐	☐						
4"	111 mm	low		○	○	○	○								
	123 mm *(1)*				○	○	○	○							
	Frog Leg *(1)*						☐	☐	☐						
	One Arm *(1)*			☐	☐	☐	☐								
	111 mm	high						○	○	○	○				
	123 mm *(1)*								○	○	○	○			
	Frog Leg *(1)*										☐	☐	☐		
	One Arm *(1)*							☐	☐	☐	☐				
5"	111 mm	low				○	○	○							
	123 mm *(1)*						○	○	○						
	Frog Leg *(1)*							☐	☐	☐					
	One Arm *(1)*					☐	☐	☐							
	111 mm	high								○	○	○			
	123 mm *(1)*										○	○	○		
	Frog Leg *(1)*											☐	☐	☐	
	One Arm *(1)*									☐	☐	☐			
6"	123 mm *(1)*	low						○	○	○					
	123 mm *(1)*	high										○	○	○	
	Frog Leg *(1)*												☐	☐	☐

(1) *compatible with power add on devices. For 123mm fork, please choose option XFF090093 "Fork for power add ons" additionally.*

REAR SEAT HEIGHT SELECTION: independent of rear wheel size

Rear seat height in cm

Rear Wheels	37	38	39	40	41	42	43	44	45	46	47	48	49	50
24"	○	○	○	○	○	○	○	○	○	○	○	○	○ (2)	
25"		○	○	○	○	○	○	○	○	○	○	○	○	○ (2)

The rear seat height can only be between 0 cm and 11 cm below the selected front seat height.

			£
		SEAT	
Seat sling			
XFF020002	○	Seat sling, nylon, tension adjustable, 1 utility bag *(Standard option)*	
XFF020003	☐	Seat sling, nylon, tension adjustable, 2 utility bags *(only from SW 34 cm)*	68
XFF020004	☐	Seat sling, nylon, tension adjustable, 1 utility bag, 1 catheter bag *(only from SW 34 cm)*	141
XFF020000	○	Without seat sling	
Seat cushion, cover with zipper, black			
Foam (medium-soft)		Thickness: *XFF020101* ☐ 3 cm *XFF020102* ☐ 5 cm	89
Latex (very soft)		Thickness: *XFF020103* ☐ 5 cm	89
Seat accessories			
XFF090018	☐	Lap belt with buckle, metal	73
XFF020050	☐	Additional padding for seat upholstery, removable	37
JAY Cushions - for complete product range see JAY order forms			
JAY020002	☐	JAY Basic	78
JAY020001	☐	JAY Easy Visco, Curved Base	188
JAY020004	☐	JAY Lite	302
JAY020007	☐	JAY Easy Fluid, Curved Base	432

BACKREST

Back height range
Choose back height factory setting (cm).
Height adjustments of in total 5 cm possible.

25 - 30	30 - 35	35 - 40	40 - 45	45 - 47,5
○ 25	○ 30	○ 35	○ 40	○ 45
○ 27.5	○ 32.5	○ 37.5	○ 42.5	○ 47.5
○ 30	○ 35	○ 40	○ 45	

						£
Backrest height, carbon fibre tubes (3)		☐ 25	☐ 27.5	☐ 30	☐ 32.5	312
Fixed height, non height adjustable		☐ 35	☐ 37.5	☐ 40	☐ 42.5	312
XFF030010	○	Backrest, fixed (90°)				
XFF030029		○ Desk sideguard preparation for later replacement **(4)**				
XFF030031		☐ Backrest, fold-down (to the front) **(6)** *(from back height 32.5 cm, fixed back height, not adjustable)*				208
XFF030012	○	Backrest, angle-adjustable *(75° to 103°)*				
XFF030029		○ Desk sideguard preparation for later replacement **(5)**				
XFF030031		☐ Backrest, fold-down (to the front) **(6)** *(from back height 32.5 cm, fixed back height, not adjustable)*				208
Push handles						
XFF030200	○	Omit push handles *(Not available with fold down backrest)*				
XFF030201	○	Push handles long				
XFF030203	☐	Push handles, fold-down *(only available from back height 32.5 cm upwards)*				172
XFF030205	☐	Push handles, height-adjustable for JAY backs *(only available from back height 32.5 cm upwards)*				229
XFF030204	☐	Push handles, height-adjustable *(only available from back height 30 cm upwards)*				229

(2) *only with lightweight adapter*

(3) *not with Jay J3 backs, not with Desk sideguard, not for use with add on bikes*

(4) *necessary for retrofitting Desk sideguard or Tubular armrest with Backrest, fixed 90°*

(5) *necessary for retrofitting Desk sideguard*

(6) *not with height adj. push handles, not with JAY backs; in combination with push handles fold-down only from backrest height 40cm upwards; please see Folding Matrix on Page 8*

Backrest upholstery			£
XFF030316	○	EXO Backrest sling, synthetic fibre, padded, adjustable, 1 accessory bag, black (Evo Exo Version) Colour, binding tape: ○ Black (Std) ○ Orange ○ Silver ○ Red ○ Blue	
XFF030317	☐	EXO PRO Backr. sling, synthetic fibre, padded, adj., breathable spacer fabric, accessory bag, black (Evo Exo Version) Colour, binding tape: ○ Black (Std) ☐ Orange ☐ Silver ☐ Red ☐ Blue	94
XFF030300	○	Without backrest upholstery	
Accessories for backrest			
XFF030402	☐	Stabilising bar, automatic folding *(only available from SW 38cm; not with fixed height backrest)*	193
JAY 3 Carbon Back - Shallow Contour			
Lower Thoracic:	☐ JAY060001	Short - 17 cm ☐ JAY060002 Tall - 24 cm	853
Mid Thoracic:	☐ JAY060003	Short - 30 cm ☐ JAY060004 Tall - 38 cm	853
Accessories for JAY J3 backs			
WHT030415	☐	Whitmyer Headrest, COBRA XTRA, flip back *(only with JAY J3 backs)*	359
WHT030416	☐	Whitmyer Headrest, AXYS, Standard *(only with JAY J3 backs)*	338
JAY090058	☐	JAY Accessory bag *(only with JAY J3 Carbon backs)*	63
ARMREST AND SIDEGUARDS			
Armrest			
XFF040005	○	Desk sideguard, flip-up, removable	
XFF040001	○	Desk sideguard, armpad (25 cm), fixed, flip-up, removable	
XFF040003	○	Desk sideguard, armpad (31 cm), fixed, flip-up, removable	
XFF040002	☐	Desk sideguard, armpad (25 cm), height-adjustable, flip-up, removable	219
XFF040004	☐	Desk sideguard, armpad (31 cm), height-adjustable, flip-up, removable	219
XFF040052	☐	Single-post sideguard, armpad (33 cm), depth adjustable, height-adjustable, removable	188
XFF040117	☐	Tubular armrest, Aluminium, swing away (sideways), padded, removable	167
Accessories armrest			
XFF040020	○	Release assistance for tetraplegics *(only with desk sideguard)*	
Sideguards			
XFF040107	○	Sideguard, composite, removable, 21 cm high (31 cm long), black	
XFF040101	☐	Sideguard, carbon fibre, cold weather protection, slim (black)	271
XFF040102	☐	Sideguard, aluminium, cold weather protection (in frame colour)	240
XFF040103	☐	Sideguard, aluminium, fender, cold weather protection (in frame colour)	328
XFF040104	☐	Sideguard, carbon fibre, fender, cold weather protection (black)	411
FOOTBOARDS			
XFF050131	○	Footboard, platform, lightweight, plastic, angle & depth-adj. flip up (sideways), calf strap, black	
XFF050061	☐	Footboard, platform, lightweight, plastic, angle & depth-adj. flip up (sideways), high-mount black *(LLL 22-34cm)*	297
XFF050023	☐	Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, frame colour	198
XFF050126	☐	Swing-away mechanism for platform footboard *(minimum LLL 3cm longer)*	104
XFF050059	☐	Footboard, platform, Performance, aluminium, angle-adjustable, flip-up (sideways), calf strap **(7)**	297
XFF050132	☐	Footboard, platform, lightweight, carbon fibre, angle & depth-adj. flip up (sideways), calf strap, black	411
		Footboard, auto-folding	
XFF050027	☐	Footboard, platform, lightweight, carbon fibre, auto-folding, angle & depth-adjustable, calf strap, black	479
XFF050028	☐	Footboard, platform, lightweight, plastic, auto-folding, angle and depth-adjustable, calf strap, black	338
		Accessories for footboards	
XFF050127	☐	Foot positioning plate (Adjustable side protection, to create a side-stop on the footboard) **(8)**	32

(7) *not in SW32 with 1 cm inset*

(8) *only for footboard, platform lightweight or Performance*

											£
LOWER LEG LENGTH (LLL): LLL has to be 2,5 cm less than front seat height; all measurements are in cm											
○ 22	○ 23	○ 24	○ 25	○ 26	○ 27	○ 28	○ 29	○ 30	○ 31		
○ 32	○ 33	○ 34	○ 35	○ 36	○ 37	○ 38	○ 39	○ 40	○ 41		
○ 42	○ 43	○ 44	○ 45	○ 46	○ 47	○ 48	○ 49	○ 50			
FRAME VERSIONS											
Open frame *(max. user weight 110kg)*											
XFF010012	○	Frame FF 80 ° (integrated footrest) (100 ° EU)									
		XFF010101 ☐ Inset: Slight (1 cm)									
XFF010013	☐	Frame FF 88 ° (integrated footrest), performance (92 ° EU)									
		XFF010101 ☐ Inset: Slight (1 cm)									
Hybrid frame *(max user weight 140kg)*											
XFF010020	○	Frame FF 80 ° (integrated footrest), hybrid (100 ° EU)									
XFF010021	○	Frame FF 88 ° (integrated footrest), hybrid (92 ° EU)									
CENTRE OF GRAVITY (COG) *(4= very passive 13= very active)*											
XFF070703	Adapter, standard	○ 2	○ 3	○ 4	○ 5	○ 6					
		○ 7	○ 8	○ 9	○ 10						
XFF070701	Adapter, lightweight ***(9)***	○ 5	○ 6	○ 7	○ 9	○ 10	○ 11				
XFF010411	○	Axle plate, aluminium, long (full adjustment)									
XFF010412	☐	Axle plate, aluminium, shorted (max. adjustment 1 cm)									245
FRAME ACCESSORIES *(choose either tip assist or anti- tip tubes per side)*											
XFF090016	☐	Frame protection, black									89
XFF090100	○	Transportation brackets - Crash test option									
XFF090010	☐	Transit wheels									245
XFF090014	☐	Frame reinforcement kit for add on bike									463
XFF090050	☐	Anti-tip tubes, plug-in, pair									99
Anti-tip tubes, swing-away											
XFF090004	☐	Left *XFF090005* ☐ Right									130
XFF090006	☐	Pair									203
Tip assist											
XFF090001	☐	Left *XFF090002* ☐ Right									37
XFF090003	☐	Pair									73
XFF090009	☐	Crutch holder, loop *(only in combination with tip assist)*									84
EMPULSE F55 BUNDLING											
EMO000101	○	With F55 order, not mounted to the wheelchair *(Please use separate OF to order the F55.)*									
EMO000102	○	With F55 order, mounted to the wheelchair *(Please use separate OF to order the F55.)*									
Preparation for ATTITUDE Add-On bike											
XFF090211	☐	without ATTITUDE order *(docking pins assembled)*									130
XFF090212	○	with ATTITUDE order *(docking pins assembled; ATTITUDE order separately)*									
FORKS *(compare with your choice on the first page)*											
XFF080013	○	Castor fork, Carbotecture ® Colour: Black (Std)									
		Colour: ○ Silver ○ Orange ○ Red ***(10)*** ○ Blue ***(10)***									
XFF080029	○	Castor fork, Aluminium, 123mm Colour: Black									
		Colour: ○ Silver ○ Orange									
XFF080008	☐	Castor fork, aluminium, one-arm Colour: Black									224
		Colour: ○ Silver ○ Orange ○ Red ○ Blue									
XFF080007	☐	Castor fork, aluminium, suspension (Frog Legs ®), black									380
CASTORS *(compare with your choice on the first page)*											
XFF080301	○	Castor, solid (hard), rim: composite, black									
XFF080302	○	Castor, solid (soft), rim: composite, black *(only 5" & 6")*									
XFF080304	☐	Castor, solid (hard), rim: aluminium Colour, rim: Silver *(only 4" & 5")*									110
XFF080306	☐	Castor, solid (soft), rim: aluminium Colour, rim: Silver *(only 4" & 5")*									110
		Colour, rim: ○ Black ○ Orange ○ Red ○ Blue									

(9) *only with 0° wheel camber*

(10) *only in combination with castor, soft (XFF080302 and XFF080306)*

				£
		REAR WHEELS	*(compare with your choice on the first page; choose only one wheel type)*	
XFF070000	○	Without rear wheel		
XFF070001	○	Rear wheel, Universal, 36 spokes (silver), cross-wise spokes	*(only 24")*	
XFF070002	○	Rear wheel, Design, 36 spokes (silver), straight spokes	*(only 24")*	
XFF070003	○	Rear wheel, Lightweight, 24 spokes (silver), straight spokes	*(please see colour options on last page)*	94
XFF070004	☐	Rear wheel, Proton, 24 spokes (black), straight spokes	*(user weight limit 100kg)*	260
XFF070005	☐	Rear wheel, Spinergy, 18 spokes (black), straight spokes; hub: silver		515
XFF070007	☐	Rear wheel, Spinergy, 12 spokes (black), straight spokes, hub black		619
XFF070008	☐	Rear wheel, drum brakes, 36 spokes (silver), cross-wise spokes **(11)**	*(only 24")*	442
XFF070009	☐	Rear wheel, Mountainbike, 36 spokes (silver), straight spokes	*(only 24")*	375
XFF070010	☐	Mountainbike wheel, replacement kit incl. tyre (extra coarse profile)	*(only 24")*	609
		Axle		
XFF070150	○	Quick-release axle	*(Standard option)*	
XFF070151	☐	Quick-release axle, designed for quads **(12)**		136
		TYRES	*(choose only one tyre type)*	
XFF070101	○	Tyre, pneumatic, fine profile, Schwalbe Right Run	*(only 24")*	
XFF070102	○	Tyre, puncture proof, tread		
XFF070107	☐	Tyre, pneumatic, slick, Schwalbe One		120
XFF070104	☐	Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution		99
		HANDRIMS		
XFF070204	○	Handrims, stainless steel, silver		104
XFF070202	○	Handrims, aluminium, anodised, silver		
XFF070201	○	Handrims, aluminium, powder-coated, clear		
XFF070203	☐	Handrims, aluminium, powder-coated, coloured	*(select colour on last page, charged once)*	
XFF070205	☐	Handrims, titanium, untreated		250
XFF070206	☐	Handrims, titanium, powder-coated, clear		250
XFF070207	☐	Handrims, Supergrip ®		260
XFF070208	☐	Handrims, Maxgrepp ®	*(only 24")*	364
XFF070212	☐	Handrims, Ellipse 3R, black	*(ergonomic handrims with rubber-strip)*	130
		Hand rim mounting		
XFF070307	○	Handrim mount, super narrow (7 mm)	*(only with stainless steel)*	
XFF070317	○	Handrim mount, narrow (17 mm)	*(Standard option)*	
XFF070327	○	Handrim mount, wide (27 mm)		
		Handrim accessories		
XFF070250	☐	Handrim cover, rubber	*(only 24")*	115
		WHEEL CAMBER	*(choose only one option)*	
XFF070600	○	0°		
XFF070602	○	2°	*(not with Centre of Gravity Adapter, lightweight)*	
XFF070604	○	4°	*(not with Centre of Gravity Adapter, lightweight)*	

		SPOKE GUARDS					*(only 24")*	
XFF070831	☐	Transparent	*XFF070813*	☐	Galactica	*XFF070828*	☐ Space	156
XFF070823	☐	Princess	*XFF070821*	☐	Pirates			156
XFF070816	☐	Happy Lions	*XFF070814*	☐	Graffiti			156
XFF070819	☐	Monkeys	*XFF070802*	☐	Basketball			156
XFF070820	☐	Oriental	*XFF070812*	☐	Flying Water			156
XFF070829	☐	Superhero	*XFF070833*	☐	Zebra			156
XFF070817	☐	Hot Wheels	*XFF070818*	☐	Jungle Fever			156
XFF070822	☐	Pool	*XFF070811*	☐	Feather			156
XFF070827	☐	Silk	*XFF070806*	☐	Chrome			156
XFF070830	☐	Tiger	*XFF070803*	☐	Basketball 2			156

(11) *only with Adapter, standard and only with 0° & 4° camber; not with push handles, fold down & not without push handles.*

(12) *not with Rear wheels Spinergy/ Mountainbike/ drum brakes*

			£
		WHEEL LOCKS *(choose only one option)*	
XFF060001	○	Standard brake *(Standard option)*	
XFF060002	☐	Knee-lever brake	99
XFF060010		☐ Brake lever extension, knee-lever brake, fold-down	52
XFF060023	☐	Compact brake	68
XFF060024	☐	Lightweight compact brake EVO	208
XFF060004	☐	Compact brake, lightweight **(13)**	193
		ACCESSORIES	
XFF090000	●	Tool kit	
XFF090025	☐	Air pump	21
XFF090024	☐	High pressure pump (0 - 11 bar)	94
XFF090030	☐	Back pack	78
XFF090026	☐	Mobile phone pocket	58

COLOURS [14] Please consult our colour catalogue to review your colour choice

	Frame	Handrim £78	Hub/rim £208	X-brace £229
01 Matte Black	○	☐	☐	☐
02 Gloss Black	○	☐	☐	☐
03 Metallic Shadow	○	☐		☐
04 Starlight White	○	☐		☐
05 Silver Ore	○	☐		☐
06 Storm Gray	○	☐		☐
07 Desert Tan	○	☐		☐
08 Desert Sage	○	☐		☐
09 Salute Green	○	☐		☐
10 Velvet Sapphire	○	☐		☐
11 Midnight Blue	○	☐		☐

	Frame	Handrim £78	Hub/rim £208	X-brace £229
12 Royal Blue	○	☐	☐	☐
13 Brilliant Ocean	○	☐		
14 Scarlet Noir	○	☐		☐
15 Red Pepper	○	☐	☐	☐
16 Cherry Lustre	○	☐	☐	☐
17 Turbo Green	○	☐		☐
18 Pink Power	○	☐		☐
19 Satin Rose	○	☐		☐
20 Mystic Purple	○	☐		☐
21 Solar Orange	○	☐		☐
22 Velocity Yellow	○	☐		☐

Rear wheel, lightweight anodised, orange	☐	**(15)**
Rear wheel, lightweight anodised, blue	☐	**(15)**
Rear wheel, lightweight anodised, red	☐	**(15)**

		COLOURS - for stickers ("Xenon²" on the frame and "Quickie" on sideguard)	
XFF100550	○	black *(Sticker "Quickie" on sideguard will be silver in combination with carbon sideguards)*	-
XFF100551	○	silver	-
XFF100552	○	orange	-
XFF100553	○	red	-
XFF100554	○	blue	-

(13) *not with Hybrid frame; not available with 4° camber; not with seat depth 34 cm; not for use with add on bikes; adjustment of CoG +/- approx. 2,5cm in the field*

(14) *Handrim: only with handrim colour powder coated; Hub/rim: only for universal wheel*

(15) *only with 24" Lightweight wheel, Hub and rim anodized, black spokes*

Comments for special build - please apply for a quote; lead time conditions may change.

built4me

QUICKIE XENON² base price	**£3,220**
Option price	**£**
Total Price	**£**

Please follow this measuring method:

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

Seat width (SW):

a) For the user: Allow space between sideguard and hip on each side of the chair (approx. 1 - 2 cm altogether)

b) On the wheelchair: From outside frame tube to outside frame tube.

Seat depth (SD):

a) For the user: When sitting upright: leave space for 2 - 3 fingers between front edge of the seat upholstery and back of knee. (approx. 3 - 6 cm). Care must be taken with adj. upholstery.

b) On the wheelchair: From back tube to front of seat upholstery.

Front seat height:

a) For the user: When sitting with 90° knee angle: From back of knee to bottom of shoe sole.

b) On the wheelchair: From front of seat tube to the ground. (min. 3cm longer than user measurement) Remember to include the cushion height.

Rear seat height:

b) On the wheelchair: From back of seat tube to the ground. Note: Max. seat height difference rear to front is 11 cm

Back height:

a) For the user: From the seat, including cushion, to be no more than 1 - 2 cm below the lower shoulder blade.

b) On the wheelchair: From back of seat tube to upper edge of backrest upholstery.

Note: The user's ability to sit upright has a major influence on the back height and it can therefore differ considerably

Back angle: Important: The back height depends on the degree of disability. 0° is the angle 90° to the ground. Negative angles are <90° and positive angles are >90°.

Technical Data Overview:

Max. overall height:	102 cm		
Max. overall length:	105 cm		
Max. turning circle:	70 cm		
Max. safe slope:	10°		
Wheelchair weight:	from 8,8 kg		
Dismantled weight:	from 6,3 kg		
Weight of heaviest part:	2.1 kg		
Max. overall width:	**Camber**	**24" rear wheel**	**25" rear wheel**
	For 0° camber:	SW + 16 cm	SW + 16 cm
	For 2° camber:	SW + 21 cm	SW + 22 cm
	For 4° camber:	SW + 26 cm	SW + 27 cm

Product is **crash tested according to ISO 7176-19** and therefore approved for transportation in a vehicle.
In combination with XFF090100 (Tie down brackets for transportation).
For transport without a user the chair must be safe clamped in the vehicle.

All changes in the configuration might change the seat heights.
Manufacturing tolerances of +/- 1 cm



XFF 020002 Seat sling with 1 utility bag



XFF 020003 Seat sling with utility bags 2



XFF 030316 EXO backrest sling



XFF 030317 EXO PRO backrest sling



XFF 030201 Push handles long



XFF 030203 Push handles, fold-down



XFF 030204 Push handles , height-adjustable



XFF 090018 Lap belt with buckle, metal

Folding-Matrix for XFF 030031 Backrest, fold-down to the front.



Seat width

Back height

	32.5	35	37.5	40	42.5	45	47.5
32	✓	✓	✓	✓	✓	✓	✓
34	✓	✓	✓	✓	✓	✓	✓
36	✓	✓	✓	✓	✓	✓	✓
38		✓	✓	✓	✓	✓	✓
40			✓	✓	✓	✓	✓
42				✓	✓	✓	✓
44				✓	✓	✓	✓
46					✓	✓	✓
48						✓	✓
50							✓

✓ *=folds 90° to the front on folded chair*

✓ *=can´t be folded full 90° to the front on folded chair in combination with fold-down push handles*

✓ *=can´t be folded full 90° to the front on folded chair*

=will fold less than 45° to the front on folded chair, folds 90° on unfolded chair



XFF040107
Composite sideguard detachable



XFF040101
carbon fibre, cold weather protection, slim



XFF040102
Aluminium, cold weather protection



XFF040103
Aluminium, cold weather protection, fender



XFF04000x
Desk sideguard, armpad, flip-up, removable



XFF040104
Carbon fibre, cold weather protection, fender



XFF050132
Footboard platform, lightweight, carbon fibre



XFF050059
Footboard platform, performance



XFF050027
Footboard platform, lightweight, carbon fibre, auto folding



XFF050127
Adjustable side protection



XFF090001
Tip assist



XFF090004
Anti-tip tubes, swing away



XFF090050
Anti-tip tubes, plug in, pair



XFF090010
Transit wheels



XFF070001
Universal wheel



XFF070002
Design wheel



XFF070003
Lightweight wheel



XFF07000
Proton wheel



XFF07010
Mountainbike wheel



XFF070101
Schwalbe Right Run



XFF070107
Schwalbe One



XFF070104
Schwalbe Marathon Plus Evolution



XFF070102
Tyre, puncture proof



XFF070202
Handrims aluminum, anodized



XFF070203
Handrims aluminum, powder coated, coloured



XFF070208
Handrims Maxgrepp



XFF070212
Handrims Ellipse 3R

F55 BUNDLING - NOGO MATRIX FOR 24" BACKWHEELS

	Seat Depth						
COG	380	400	420	440	460	480	500
40	✗	✗	✗	✓	✓	✓	✓
60	✗	✗	✗	✗	✓	✓	✓
70	✗	✗	✗	✗	✓	✓	✓
80	✗	✗	✗	✗	✗	✓	✓
90	✗	✗	✗	✗	✗	✓	✓
100	✗	✗	✗	✗	✗	✗	✓
110	✗	✗	✗	✗	✗	✗	✓
120	✗	✗	✗	✗	✗	✗	✗
130	✗	✗	✗	✗	✗	✗	✗



XFF060001
Standard brake



XFF060002
Knee lever brake



XFF060003
Compact brake



XFF060004
Lightweight compact brake



XFF090000
Tool kit



XFF090024
High pressure pump



XFF090025
Air pump



XFF090030
Back pack



XFF090026
Mobile phone pocket



XFF010012 / 13
Open Frame



XFF090020 / 21
Hybrid frame