

SUNRISE MEDICAL

QUICKIE XENON² SA

Invoice to: Name: Street: Town: Postal code: E-Mail: Tel: Fax:	Deliver to: Name: Street: Town: Postal code: E-Mail: Tel: Fax:
Order date: Purchase order: Number required:	Marked for: Sunrise order no:

☐ Order ☐ Quotation ☐ Built 4 me (longer leadtime) ● = Standard ○ = No cost option ☐ = Cost option

Base Price
£3,220

Fax number: **+44 (0)845 605 66 89**

Email: **orders@sunmed.co.uk**

Max. user weight: 125kg

USER WEIGHT _____ **kg**

Mandatory information to ensure correct configuration

Part no: 77 800 001 **MSH01**

UK CA CE

CLIENT MEASUREMENT - All measurements in cm without cushion

SEAT WIDTH SELECTION - measured from outside frame tube to outside frame tube

32 cm	34 cm	36 cm	38 cm	40 cm	42 cm	44 cm	46 cm	48 cm	50 cm
○	○	○	○	○	○	○	○	○	○

SEAT DEPTH SELECTION

34 cm	36 cm	38 cm	40 cm	42 cm	44 cm	46 cm	48 cm	50 cm
○	○	○	○	○	○	○	○	○

38 cm frame length — each frame in a seperate length (2 cm increments)

FRONT SEAT HEIGHT SELECTION: independent of front castors, Carbotecture forks and frame versions

Front seat height in cm

Front Castor	Fork (length)	43	44	45	46	47	48	49	50	51	52	53	54	55	56
3"	111 mm	○	○	○											
	123 mm *(1)*		○	○	○										
	138 mm *(1)*				○	○	○								
	174 mm *(1)*							○	○	○					
	Frog Leg *(1)*					☐	☐								
	One Arm *(1)*	☐	☐	☐											
4"	111 mm	○	○	○	○										
	123 mm *(1)*		○	○		☐	☐								
	138 mm *(1)*				○	○	○	○							
	174 mm *(1)*								○	○	○	○			
	Frog Leg *(1)*					☐	☐	☐							
	One Arm *(1)*	☐	☐	☐	☐										
5"	111 mm			○		○	○								
	123 mm *(1)*					○	○	○							
	138 mm *(1)*					○	○	○	○						
	174 mm *(1)*							○	○		○	○	○		
	Frog Leg *(1)*						☐	☐	☐						
	One Arm *(1)*			☐		☐	☐								
6"	123 mm *(1)*						○	○	○						
	138 mm *(1)*						○	○	○	○					
	174 mm *(1)*								○	○	○	○	○	○	
	Frog Leg *(1)*							☐	☐	☐					
7"	138 mm *(1)*							○	○	○	○				
	174 mm *(1)*										○	○	○	○	○

(1) *compatible with power add on devices. For 123mm fork, please choose option XFF090093 "Fork for power add ons" additionally.*

REAR SEAT HEIGHT SELECTION: independent of rear wheel size

Rear seat height in cm

Rear Wheels	37	38	39	40	41	42	43	44	45	46	47	48	49	50
24"	○	○	○	○	○	○	○	○	○	○	○	○	○(2)	
25"		○	○	○	○	○	○	○	○	○	○	○	○	○(2)

The rear seat height can only be between 0 cm and 11 cm below the selected front seat height.

				£
SEAT				
Seat sling				
XES020002	○	Seat sling, nylon, tension adjustable, 1 utility bag	*(Standard option)*	
XES020003	☐	Seat sling, nylon, tension adjustable, 2 utility bags	*(only from SW 34 cm)*	68
XES020004	☐	Seat sling, nylon, tension adjustable, 1 utility bag, 1 catheter bag	*(only from SW 34 cm)*	141
XES020000	○	Without seat sling		
Seat cushion, cover with zipper, black				
Foam (medium-soft)		Thickness: *XES020101* ☐ 3 cm	*XES020102* ☐ 5 cm	89
Latex (very soft)		Thickness: *XES020103* ☐ 5 cm		89
Seat accessories				
XES090018	☐	Lap belt with buckle, metal		73
XES020050	☐	Additional padding for seat upholstery, removable		37
JAY Cushions - for complete product range see JAY order forms				
JAY020002	☐	JAY Basic		78
JAY020001	☐	JAY Easy Visco, Curved Base		188
JAY020004	☐	JAY Lite		302
JAY020007	☐	JAY Easy Fluid, Curved Base		432

BACKREST

Back height range
Choose back height factory setting (cm).
Height adjustments of in total 5 cm possible.

25 - 30	30 - 35	35 - 40	40 - 45	45 - 47,5
○ 25	○ 30	○ 35	○ 40	○ 45
○ 27.5	○ 32.5	○ 37.5	○ 42.5	○ 47.5
○ 30	○ 35	○ 40	○ 45	

Backrest height, carbon fibre tubes (3)	☐ 25	☐ 27.5	☐ 30	☐ 32.5	312
Fixed height, non height adjustable	☐ 35	☐ 37.5	☐ 40	☐ 42.5	312

XES030010	○	Backrest, fixed (90°)		
XES030029		○ Desk sideguard preparation for later replacement **(4)**		
XES030031		☐ Backrest, fold-down (to the front) **(6)**	*(only available from back height 32,5 cm upwards)*	208
XES030012	○	Backrest, angle-adjustable	*(75° to 103°)*	
XES030029		○ Desk sideguard preparation for later replacement **(5)**		
XES030031		☐ Backrest, fold-down (to the front) **(6)**	*(only available from back height 32,5 cm upwards)*	208
Push handles				
XES030200	○	Omit push handles		
XES030201	○	Push handles long		
XES030203	☐	Push handles, fold-down	*(only available from back height 32,5 cm upwards)*	172
XES030205	☐	Push handles, height-adjustable for JAY backs	*(only available from back height 32,5 cm upwards)*	229
XES030204	☐	Push handles, height-adjustable	*(only available from back height 30 cm upwards)*	229

(2) *only with lightweight adapter*

(3) *not with Jay J3 backs, not with Desk sideguard*

(4) *necessary for retrofitting Desk sideguard or Tubular armrest with Backrest, fixed 90°*

(5) *necessary for retrofitting Desk sideguard*

(6) *not with height adj. push handles, not with JAY backs; in combination with push handles fold-down only from backrest height 40cm upwards; please see Folding Matrix on Page 8*

				£
Backrest upholstery				
XES030316	○	EXO Backrest sling, synthetic fibre, padded, adjustable, 1 accessory bag, black (Exo Evo Version)		
		Colour, binding tape: ○ Black (Std) ○ Orange ○ Silver ○ Red ○ Blue		
XES030317	☐	EXO PRO Backr. sling, synthetic fibre, padded, adj., breathable spacer fabric, accessory bag, black (Evo Exo Version)		
		Colour, binding tape: ○ Black ☐ Orange ☐ Silver ☐ Red ☐ Blue		94
XES030300	○	Without backrest upholstery		
Accessories for backrest				
XES030402	☐	Stabilising bar, automatic folding	*(only available from SW 38cm; not with fixed height backrest)*	193
XES030401	☐	Stabilising bar, swing-away	*(only available from SW38)*	115
	☐	**Headrest, height-, depth- and angle-adjustable**		
		XES030411 ☐ medium (20x11cm) *XES030412* ○ tall (23x11cm)		260
JAY 3 Carbon Back - Shallow Contour				
Lower Thoracic:	☐	JAY060001 Short - 17 cm	☐ JAY060002 Tall - 24 cm	853
Mid Thoracic:	☐	JAY060003 Short - 30 cm	☐ JAY060004 Tall - 38 cm	853
Accessories for JAY J3 backs				
WHT030415	☐	Whitmyer Headrest, COBRA XTRA, flip back	*(only with JAY J3 backs)*	359
WHT030416	☐	Whitmyer Headrest, AXYS, Standard	*(only with JAY J3 backs)*	338
JAY090058	☐	JAY Accessory bag	*(only with JAY J3 Carbon backs)*	63
		ARMREST AND SIDEGUARDS		
Armrest				
XES040005	○	Desk sideguard, flip-up, removable		
XES040001	○	Desk sideguard, armpad (25 cm), fixed, flip-up, removable		
XES040003	○	Desk sideguard, armpad (31 cm), fixed, flip-up, removable		
XES040002	☐	Desk sideguard, armpad (25 cm), height-adjustable, flip-up, removable		219
XES040004	☐	Desk sideguard, armpad (31 cm), height-adjustable, flip-up, removable		219
XES040052	☐	Single-post sideguard, armpad (33 cm), depth adjustable, height-adjustable, removable		188
XES040117	☐	Tubular armrest, Aluminium, swing away (sideways), padded, removable		167
Accessories armrest				
XES040020	○	Release assistance for tetraplegics	*(only with desk sideguard)*	
XES090011	☐	Tray, push-fit, SW 38 - 48 cm		188
	☐	Tray, swing-away (to the side), SW 34 - 50 cm		
		XES090012 ☐ left-mount *XES090013* ☐ right-mount		188
Sideguards				
XES040107	○	Sideguard, composite, removable, 21 cm high (31 cm long), black		
XES040101	☐	Sideguard, carbon fibre, cold weather protection, slim (black)		271
XES040102	☐	Sideguard, aluminium, cold weather protection (in frame colour)		240
XES040103	☐	Sideguard, aluminium, fender, cold weather protection (in frame colour)		328
XES040104	☐	Sideguard, carbon fibre, fender, cold weather protection (black)		411
		FOOTREST & FOOTBOARDS		
XES050008	○	**Hanger, aluminium, swing-away, pair**	(angle measured seat and hanger tube)	
XES050001		○ Hanger angle 80° (100° EU) *XES050002* ○ Hanger angle 70° (110° EU)		
		Hanger, aluminium, Elevating (0° - 90°), swing-away		
XES050009	☐	left XES050010 ☐ right		266
XES050011	☐	pair		532
		Amputee support		
XES050014	☐	left XES050013 ☐ right		162
XES050012	☐	pair		324

		Footplates	£
XES050020	○	Footplates, divided, composite, angle-adjustable, flip-up (sideways), heel loop, black *(from SW 38cm)*	
XES050022	☐	Footplates, divided, aluminium, angle-adjustable, flip-up (sideways), heel loop, frame colour	125
XES050051	☐	Footplates, divided, aluminium, angle-adj., flip-up (sideways), high-mount, heel loop, frame colour	125
		Footboards	
XES050023	☐	Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, frame colour	198
XES050126	☐	Swing-away mechanism for platform footboard *(minimum LLL 3cm longer)*	104
XES050059	☐	Footboard, platform, Performance, aluminium, angle-adjustable, flip-up (sideways), calf strap	297
XES050131	☐	Footboard, platform, lightweight, plastic, angle & depth-adjustable flip up (sideways), calf strap, black	203
XES050132	☐	Footboard, platform, lightweight, carbon fibre, angle & depth-adj. flip up (sideways), calf strap, black	411
XES050052	☐	Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), high-mount, frame colour	297
		Accessories for footboards	
XES050127	☐	Foot positioning plate (Adjustable side protection, to create a side-stop on the footboard) **(7)**	32

LOWER LEG LENGTH (LLL): LLL has to be 2.5 cm less than front seat height; all measurements are in cm

○ 22	○ 23	○ 24	○ 25	○ 26	○ 27	○ 28	○ 29	○ 30	○ 31	
○ 32	○ 33	○ 34	○ 35	○ 36	○ 37	○ 38	○ 39	○ 40	○ 41	
○ 42	○ 43	○ 44	○ 45	○ 46	○ 47	○ 48	○ 49	○ 50		

FRAME VERSIONS

XES010015	●	Frame SA (removable footrest)	

CENTRE OF GRAVITY (COG) *(4= very passive 13= very active)*

XES070703	Adapter, standard	○ 2	○ 3	○ 4	○ 5	○ 6			
		○ 7	○ 8	○ 9	○ 10				
XES070701	Adapter, lightweight ***(8)***	○ 5	○ 6	○ 7	○ 9	○ 10	○ 11		

XES010411	○	Axle plate, aluminium, long (full adjustment)	
XES010412	☐	Axle plate, aluminium, shorted (max. adjustment 1 cm)	245

EMPULSE F55 BUNDLING

EMO0(	○	With F55 order, not mounted to the wheelchair *(Please use separate OF to order the F55.)*	
EMO0(	○	With F55 order, mounted to the wheelchair *(Please use separate OF to order the F55.)*	

FRAME ACCESSORIES *(choose either tip assist or anti- tip tubes per side)*

XES090016	☐	Frame protection, black	89
XES090100	○	Transportation brackets - Crash test option	
XES090010	☐	Transit wheels	245
XES090050	☐	Anti-tip tubes, plug-in, pair	99

Anti-tip tubes, swing-away

XES090004	☐	Left	XES090005	☐	Right	130
XES090006	☐	Pair				203

Tip assist

XES090001	☐	Left	XES090002	☐	Right	37
XES090003	☐	Pair				73
XES090009	☐	Crutch holder, loop *(only in combination with tip assist)*				84

FORKS *(compare with your choice on the first page)*

XES080029	○	Castor fork, Aluminium *(only 138 & 174 mm fork)*							
XES080013	○	Castor fork, Carbotecture ®	Colour: Black (Std option)						
		Colour:	☐ Silver	☐ Orange	☐ Red ***(9)***	☐ Blue ***(9)***			
XES080008	☐	Castor fork, aluminium, one-arm	Colour: Black						224
		Colour:	☐ Silver	☐ Orange	☐ Red	☐ Blue			
XES080007	☐	Castor fork, aluminium, suspension (Frog Legs ®), black							380

CASTORS *(compare with your choice on the first page)*

XES080305	○	Castor, pneumatic, rim: composite, black *(only 7")*							
XES080301	○	Castor, solid (hard), rim: composite, black							
XES080302	○	Castor, solid (soft), rim: composite, black *(only 5" & 6")*							
XES080304	☐	Castor, solid (hard), rim: aluminium	Colour, rim: Silver *(only 4" & 5")*						110
XES080306	☐	Castor, solid (soft), rim: aluminium	Colour, rim: Silver *(only 4" & 5")*						110
		Colour, rim:	☐ Black	☐ Orange	☐ Red	☐ Blue			

(7) *only for footboard, platform lightweight or Performance*

(8) *only with 0° wheel camber*

(9) *only with 111x45mm Carbotecture fork*

				£
		REAR WHEELS	*(compare with your choice on the first page; choose only one wheel type)*	
XES070000	○	Without rear wheel		
XES070001	○	Rear wheel, Universal, 36 spokes (silver), cross-wise spokes	*(only 24")*	
XES070002	○	Rear wheel, Design, 36 spokes (silver), straight spokes	*(only 24")*	
XES070003	○	Rear wheel, Lightweight, 24 spokes (silver), straight spokes	*(please see colour options on last page)*	94
XES070004	☐	Rear wheel, Proton, 24 spokes (black), straight spokes	*(user weight limit 100kg)*	260
XES070005	☐	Rear wheel, Spinergy, 18 spokes (black), straight spokes; hub: silver		515
XES070007	☐	Rear wheel, Spinergy, 12 spokes (black), straight spokes, hub black		619
XES070008	☐	Rear wheel, drum brakes, 36 spokes (silver), cross-wise spokes **(10)**	*(only 24")*	442
XES070009	☐	Rear wheel, Mountainbike, 36 spokes (silver), straight spokes	*(only 24")*	375
XES070010	☐	Mountainbike wheel, replacement kit incl. tyre (extra coarse profile)	*(only 24")*	609
		Axle		
XES070150	○	Quick-release axle	*(Standard option)*	
XES070151	☐	Quick-release axle, designed for quads **(11)**		136
		TYRES	*(choose only one tyre type)*	
XES070101	○	Tyre, pneumatic, fine profile, Schwalbe Right Run	*(only 24")*	
XES070102	○	Tyre, puncture proof, tread		
XES070107	☐	Tyre, pneumatic, slick, Schwalbe One		120
XES070104	☐	Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution		99
		HANDRIMS		
XES070204	○	Handrims, stainless steel, silver		104
XES070202	○	Handrims, aluminium, anodised, silver		
XES070201	○	Handrims, aluminium, powder-coated, clear		
XES070203	☐	Handrims, aluminium, powder-coated, coloured	*(select colour on last page)*	
XES070205	☐	Handrims, titanium, untreated		250
XES070206	☐	Handrims, titanium, powder-coated, clear		250
XES070207	☐	Handrims, Supergrip ®		260
XES070208	☐	Handrims, Maxgrepp ®	*(only 24")*	364
XES070212	☐	Handrims, Ellipse 3R, black	*(ergonomic handrims with rubber-strip, 24" and 25" only)*	130
		Handrim mounting		
XES070307	○	Handrim mount, super narrow (7 mm)	*(only with stainless steel)*	
XES070317	○	Handrim mount, narrow (17 mm)	*(Standard option)*	
XES070327	○	Handrim mount, wide (27 mm)		
		Handrim accessories		
XES070250	☐	Handrim cover, rubber	*(only 24")*	115
		WHEEL CAMBER	*(choose only one option)*	
XES070600	○	0°		
XES070602	○	2°	*(not with Centre of Gravity Adapter, lightweight)*	
XES070604	○	4°	*(not with Centre of Gravity Adapter, lightweight)*	

		SPOKE GUARDS						*(only 24")*	
XES070831	☐	Transparent	*XES070813*	☐	Galactica	*XES070828*	☐	Space	156
XES070823	☐	Princess	*XES070821*	☐	Pirates				156
XES070816	☐	Happy Lions	*XES070814*	☐	Graffiti				156
XES070819	☐	Monkeys	*XES070802*	☐	Basketball				156
XES070820	☐	Oriental	*XES070812*	☐	Flying Water				156
XES070829	☐	Superhero	*XES070833*	☐	Zebra				156
XES070817	☐	Hot Wheels	*XES070818*	☐	Jungle Fever				156
XES070822	☐	Pool	*XES070811*	☐	Feather				156
XES070827	☐	Silk	*XES070806*	☐	Chrome				156
XES070830	☐	Tiger	*XES070803*	☐	Basketball 2				156

(10) *only with Adapter, standard and only with 0° & 4° camber; not with push handles, fold down & not without push handles.*

(11) *not with Rear wheels Spinergy/ Mountainbike/ drum brakes*

			£
		WHEEL LOCKS *(choose only one option)*	
XES060001	○	Standard brake *(Standard option)*	
XES060002	☐	Knee-lever brake	99
XES060010		☐ Brake lever extension, knee-lever brake, fold-down	52
XES060003	☐	Compact brake	78
		ACCESSORIES	
XES090000	●	Tool kit	
XES090025	☐	Air pump	21
XES090024	☐	High pressure pump (0 - 11 bar)	99
XES090030	☐	Back pack	78
XES090026	☐	Mobile phone pocket	58

COLOURS [12] Please consult our colour catalogue to review your colour choice

	Frame	Handrim £78	Hub/rim £208	X-brace £229		Frame	Handrim £78	Hub/rim £208	X-brace £229
01 Matte Black	○	☐	☐	☐	12 Royal Blue	○	☐	☐	☐
02 Gloss Black	○	☐	☐	☐	13 Brilliant Ocean	○	☐		☐
03 Metallic Shadow	○	☐		☐	14 Scarlet Noir	○	☐		☐
04 Starlight White	○	☐		☐	15 Red Pepper	○	☐	☐	☐
05 Silver Ore	○	☐		☐	16 Cherry Lustre	○	☐	☐	☐
06 Storm Gray	○	☐		☐	17 Turbo Green	○	☐		☐
07 Desert Tan	○	☐		☐	18 Pink Power	○	☐		☐
08 Desert Sage	○	☐		☐	19 Satin Rose	○	☐		☐
09 Salute Green	○	☐		☐	20 Mystic Purple	○	☐		☐
10 Velvet Sapphire	○	☐		☐	21 Solar Orange	○	☐		☐
11 Midnight Blue	○	☐		☐	22 Velocity Yellow	○	☐		☐

Rear wheel, lightweight	anodised, orange		☐	**(13)**
Rear wheel, lightweight	anodised, orange		☐	**(13)**
Rear wheel, lightweight	anodised, orange		☐	**(13)**

	COLOURS - for stickers ("Xenon²" on the frame and "Quickie" on sideguard)	
XES100550	○ black **(3)**	-
XES100551	○ silver	-
XES100552	○ orange	-
XES100553	○ red	-
XES100554	○ blue	-

(12) *Handrim: only with handrim colour powder coated; Hub/rim: only for universal wheel*

(13) *only with 24" Lightweight wheel, Hub and rim anodized, black spokes*

Comments for special build - please apply for a quote; lead time conditions may change.

QUICKIE XENON² SA base price	**£3,220**
Option price	**£**
Total Price	**£**

Please follow this measuring method:

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

Seat width (SW):

a) For the user: Allow space between sideguard and hip on each side of the chair (approx. 1 - 2 cm altogether)

b) On the wheelchair: From outside frame tube to outside frame tube.

Seat depth (SD):

a) For the user: When sitting upright: leave space for 2 - 3 fingers between front edge of the seat upholstery and back of knee. (approx. 3 - 6 cm). Care must be taken with adj. upholstery.

b) On the wheelchair: From back tube to front of seat upholstery.

Front seat height:

a) For the user: When sitting with 90° knee angle: From back of knee to bottom of shoe sole.

b) On the wheelchair: From front of seat tube to the ground. (min. 3cm longer than user measurement) Remember to include the cushion height.

Rear seat height:

b) On the wheelchair: From back of seat tube to the ground.

Note: Max. seat height difference rear to front is 11 cm

Back height:

a) For the user: From the seat, including cushion, to be no more than 1 - 2 cm below the lower shoulder blade.

b) On the wheelchair: From back of seat tube to upper edge of backrest upholstery.

Note: The user's ability to sit upright has a major influence on the back height and it can therefore differ considerably

Back angle: Important: The back height depends on the degree of disability. 0° is the angle 90° to the ground. Negative angles are <90° and positive angles are >90°.

Technical Data Overview:

Max. overall height:	101 cm		
Max. overall length:	115 cm		
Max. turning circle:	72 cm		
Max. safe slope:	10°		
Wheelchair weight:	from 10.3 kg		
Dismantled weight:	from 7.8 kg		
Weight of heaviest part:	2.1 kg		
Max. overall width:	**Camber**	**24" rear wheel**	**25" rear wheel**
	For 0° camber:	SW + 16 cm	SW + 16 cm
	For 2° camber:	SW + 21 cm	SW + 22 cm
	For 4° camber:	SW + 26 cm	SW + 27 cm

Product is **crash tested according to ISO 7176-19** and therefore approved for transportation in a vehicle.
in combination with XES090100 (Tie down brackets for transportation)
For transport without a user the wheelchair must be safe clamped in the vehicle.

All changes in the configuration might change the seat heights.
Manufacturing tolerances of +/- 1 cm



XES 020002 Seat sling with 1 utility bag



XES 020003 Seat sling with utility bags 2



XES 030316 EXO backrest sling



XES 030317 EXO PRO backrest sling



XES 030201 Push handles long



XES 030203 Push handles, fold-down



XES 030204 Push handles , height-adjustable



XES 090018 Lap belt with buckle, metal

Folding-Matrix for XES 030031 Backrest, fold-down to the front.



Back height

Seat width

	32.5	35	37.5	40	42.5	45	47.5
32	✓	✓	✓	✓	✓	✓	✓
34	✓	✓	✓	✓	✓	✓	✓
36	✓	✓	✓	✓	✓	✓	✓
38		✓	✓	✓	✓	✓	✓
40			✓	✓	✓	✓	✓
42				✓	✓	✓	✓
44				✓	✓	✓	✓
46					✓	✓	✓
48						✓	✓
50							✓

✓ *=folds 90° to the front on folded chair*

✓ *=can´t be folded full 90° to the front on folded chair in combination with fold-down push handles*

✓ *=can´t be folded full 90° to the front on folded chair*

=will fold less than 45° to the front on folded chair, folds 90° on unfolded chair



XES040107
Composite sideguard detachable



XES040102
Aluminium, cold weather protection



XES040103
Aluminium, cold weather protection, fender



XES040117
Tubular armrest, swing away, removable, padded



XES04000x
Desk sideguard, armpad, flip-up, removable



XES040104
Carbon fibre, cold weather protection, fender



XES050132
Footboard platform, lightweight, carbon fibre



XES050059
Footboard platform, performance



XES050022
Footboard divided, aluminium, frame colour



XES050127
Adjustable side protection



XES090001
Tip assist



XES090004
Anti-tip tubes, swing away



XES090050
Anti-tip tubes, plug in, pair



XES090010
Transit wheels

F55 BUNDLING - NOGO MATRIX FOR 24" BACKWHEELS

	Seat Depth						
COG	380	400	420	440	460	480	500
40	✗	✗	✗	✓	✓	✓	✓
60	✗	✗	✗	✗	✓	✓	✓
70	✗	✗	✗	✗	✓	✓	✓
80	✗	✗	✗	✗	✗	✓	✓
90	✗	✗	✗	✗	✗	✓	✓
100	✗	✗	✗	✗	✗	✗	✓
110	✗	✗	✗	✗	✗	✗	✓
120	✗	✗	✗	✗	✗	✗	✗
130	✗	✗	✗	✗	✗	✗	✗



XES070001
Universal wheel



XES070002
Design wheel



XES070003
Lightweight wheel



XES070004
Proton wheel



XES070010
Mountainbike wheel



XES070101
Schwalbe Right Run



XES070107
Schwalbe One



XES070104
Schwalbe Marathon Plus Evolution



XES070102
Tyre, puncture proof



XES070202
Handrims aluminum, anodized



XES070203
Handrims aluminum, powder coated, coloured



XES070208
Handrims Maxgrepp



XES070212
Handrims Ellipse 3R



XES060001
Standard brake



XES060002
Knee lever brake



XES060003
Compact brake



XES090000
Tool kit



XES090024
High pressure pump



XES090025
Air pump



XES090030
Back pack



XES090026
Mobile phone pocket