permobil Order Form - Progeo DUKE

Permobil LimitedUnit 7, Polaris Centre, 41 Brownfields,Welwyn Garden City, Herts, AL7 1ANUnited Kingdom - Phone: +44 1484 722888

customer_support_uk@permobil.com - https://www.permobil.com/en-gb

Date .....

User .....

End user wheight (kg) .....

Language user manual .....

UK (English)

Company stamp

Responsible .....

Rigid frame wheelchair

£ 4538,00

Retail price - VAT not included

Wheelchair measures - The tolerance on all the dimensions indicated and/or required is ± 10 mm

Seat width (LS) ☐ 33 ☐ 36 ☐ 39 ☐ 42 ☐ 45 ☐ 48

The seat width is measured from the outer sides of the frame, while the distance between the two side guards is 1.5 cm wider.
For seat enlargement see section enlargement of mudguard and armrest with integrated mudguard

Seat depth (PS) ☐ 35 ☐ 37,5 ☐ 40 ☐ 42,5 ☐ 45 ☐ 47,5 ☐ 50

The real seat depth, from the front part of the seat cloth to the backrest tube will be 1,5 cm more than the declared one.

Footplate distance (DP) …… (cm) ±0.5cm - adjustment steps 1.5cm

(Real distance between seat and footplate) - IMPORTANT NOTICE! From the footplate to the floor minimum 4cm !! (Minimum Front height = DP + 4cm)


Setting ☆ Standard ☐ Prudential ☐ Active

Backrest Height (TS) Std.Value 33,5 .....(min 26-max 47) adjustment steps 1.5cm

Camber ☆ 0° ☐ 2° ☐ 4°

Front frame

☆ Carbon fibre frame, Angle 90° to the seat



Front height - Tick the box with the required height

The possible difference in height between HIGH frame and LOW frame is 3cm (with same fork, caster and assembly hole).

	SPORT fork (H95)	*Small size fork (H115)*
LOW FRAME 90° Front height (min 44,5 - max 50) Footplate distance (min 34,5) *U-TUBE Aluminium footplate* Footplate distance (min 18 ÷ max 35) DPmax = Front height - 10cm	*Casters* 3" ☐ **~45** ☐ **~46** 4" ☐ **~46** ☐ **~47** 5" ☐ **~48,5**	*Casters* 3" ☐ **~45,5** ☐ **~47** 4" ☐ **~46,5** ☐ **~48** ☐ **~49** 5" ☐ **~49** ☐ **~50**
HIGH FRAME 90° Front height (min 47,5 - max 53) Footplate distance (min 37,5) *U-TUBE Aluminium footplate* Footplate distance (min 21 ÷ max 38) DPmax = Front height - 10cm	*Casters* 3" ☐ **~48** ☐ **~49** 4" ☐ **~49** ☐ **~50** 5" ☐ **~51,5**	*Casters* 3" ☐ **~48,5** ☐ **~50** 4" ☐ **~49,5** ☐ **~51** ☐ **~52** 5" ☐ **~52** ☐ **~53**

The real front-seat height could be slightly different from the chosen one considering it is affected by seat depth and rear seat height.

Rear height .....

Rear wheels 22" (min 36 - max 44)
Rear wheels 24" (min 38 - max 46)
Rear wheels 25" (min 39 - max 47)
Rear wheels 26" (min 41 - max 48)

The difference between Font Height and Rear Height must be in the 3 - 12 cm range.

Seat

☆ Seat cloth with pocket (under seat)


○ Seat with tension straps	**08883**	**240,00**
○ Carbon rigid seat	**08336**	**509,00**
○ Pocket (under seat) [25x11x4,5]	**08281**	**79,00**

Permobil LimitedUnit 7, Polaris Centre, 41 Brownfields,Welwyn Garden City, Herts, AL7 1ANUnited Kingdom - Phone: +44 1484 722888

Order Form - Progeo DUKE

Date ..... Order ..... User ..... Address .....

CUSTOMIZE COLORS



1 Fork colour

☆ Opaque black

- O **POLAR white**
- O **Matt grey**
- O **Matt Midnight blue**
- O **Matt red**
- O **Neon Green**
- O **Mercury Grey**
- O **Pop Magenta**

08342 **68,00**

2 Colour rear wheels

To be matched only with: Rear wheels Ultra-light Progeo - Standard! (22 - 24)

☆ Black

- O **POLAR white**
- O **Matt grey**
- O **Matt Midnight blue**
- O **Matt red**
- O **Neon Green**
- O **Mercury Grey**
- O **Pop Magenta**

04692 **68,00**

Rear wheels axle

☆ Aluminum rear wheels axle

O Carbon fiber rear wheels axle — *Lightest configuration* — 07647 **158,00**

Backrest adjustment and fixing system

☆ Backrest with double locking (upright and folded) — **with rake adjustable from -4° to +16°**

☐ Backrest with upright locking system ONLY (no locking when folded) — **with rake adjustable from -4° to +16°**

☐ Fixed back(non-folding back) — **with rake adjustable from -4° to +16°**

Backrest

☆ Adjustable velcro straps and padded transpiring upholstery

☆ Aluminium backrest



O Titanium backrest — 06811 **203,00**



O Carbon fibre backrest — 04389 **802,00**




O AIR **Integrated posture backrest (NOT REMOVABLE)** **1.121,00**

Carbon shell - Lateral retaining 7,5cm

Depth adjustment ±1cm. - Angle adjustment ±10°

not available for seat width 48

H 28	H 34	H 40
Backrest Height (TS) min 34	Backrest Height (TS) min 38	Backrest Height (TS) min 44
(.....)	(.....)	(.....)
Lateral retaining wing A=high - R=regular		
A / R	A / R	A / R
		
☐ ☐	☐ ☐	☐ ☐

Installation on:

☆ Backrest tubes



☐ Aluminium backrest



O Titanium backrest — 06811 **203,00**



O Carbon fibre backrest — 04389 **802,00**



Handle tube

☆ Tubes with standard handle

☐ Tubes with short handle

☐ SPORT tubes Without push handles

O Carbon fibre tubes with short handle — Weight reduction approx. 110gr. — 04390 **158,00**

Not available with: Posture backrest PHYSIO - Posture backrest A I R

O Folding handles — **Minimum backrest height 30,5cm** — 02958 **270,00**

Not available with: Push handles for companion





customer_support_uk@permobil.com - https://www.permobil.com/en-gb



Order Form - Progeo DUKE

Date Order User Address

Footplate

☆ Aluminium footplate. Rake not adjustable

☆ WITHOUT plastic plate  ☐ with plastic plate 

○ One piece aluminium footplate - Flip-up! FLIP-BACK! - rake and depth adjustable IMPORTANT NOTICE! From the footplate to the floor minimum 6cm !! (Minimum Front height = DP + 4cm) With 5" front wheel the difference between Front Height and Rear Height must be greater than 5cm		09420	203,00
○ Aluminium footplate, rake and depth adjustable ☆ Internal ☐ 2/3 Internal ☐ External ☐ 2/3 External		04456	270,00
○ U-TUBE - Aluminium footplate, rake and depth adjustable **LOW FRAME: minimum footplate distance 18 - maximum footplate distance 35** **HIGH FRAME: minimum footplate distance 21 - maximum footplate distance 38**		09853	240,00
○ One piece Carbon fibre footplate. Rake adjustable ☆ Internal ☐ External		04110	398,00

Mudguard

☆ Carbon fibre mudguard

☐ Carbon fibre Straight sideguard

Mudguard enlargement

☆ + 0 cm

☐ + 1 cm 12648

○ Removable version *The distance between the two side guards is 1 cm wider than the seat width*		08921	135,00

Casters

☆ 4" Soft

☐ 3" Sport *Lightest configuration*

☐ 5" Soft

○ 3" Active Soft (wide)	(Aluminium alloy rim)	06824	95,00
○ 4" Active Sport (narrow)	(Aluminium alloy rim)	01398	95,00
○ 4" Active Soft (wide)	(Aluminium alloy rim)	03943	95,00
○ 5" Active Soft (wide)	(Aluminium alloy rim)	07518	95,00
○ 5" Pneumatic		10844	68,00

Rear wheels

☆ 24" Ultra-light Progeo - Standard!

☐ 22" Ultra-light Progeo - Standard!

☐ 25" Ultra-light Progeo - Standard! (colour: black)

☐ 26" Progeo - Standard! (colour: black)

○ 24" ULTRA-LIGHT PROGEO KEY SPORT	*Lightest configuration*		04383	695,00
○ 24" Ultra-light "Spinergy LX"			01685	695,00
○ 24" Ultra-light "Spinergy LXL"	☐ Black hub and white spokes	☐ Hub and spokes black	07846	695,00
○ 24" Ultra-light "Spinergy Flex rim"	Integrated aluminium/rubber handrim		02270	1.150,00
○ 25" Ultra-light "Spinergy LX"			02101	695,00
○ 25" Ultra-light "Spinergy LXL"	☐ Black hub and white spokes		07847	695,00
○ 26" Ultra-light "Spinergy LX"			02102	695,00
○ 24" Off-road (aluminium handrim black - Wheel distance 4cm)			01392	270,00

Rear wheel tyre

☆ High pressure tyre	(22"-24"-25"-26")	*Lightest configuration*		
☐ High pressure profile tyre	(24")			
○ Marathon Plus	(24"-25")	with anti-puncture protection	01669	95,00
○ Anti-puncture - Colour Grey	(22")		04181	105,00
○ Anti-puncture - Colour Black	(24")		11083	95,00

Not available with Rear wheels : 24" ULTRA-LIGHT PROGEO KEY SPORT, 24" Ultra-light "Spinergy LXL"

Permobil LimitedUnit 7, Polaris Centre, 41 Brownfields,Welwyn Garden City, Herts, AL7 1ANUnited Kingdom - Phone: +44 1484 722888

customer_support_uk@permobil.com - https://www.permobil.com/en-gb

Permobil LimitedUnit 7, Polaris Centre, 41 Brownfields,Welwyn Garden City, Herts, AL7 1ANUnited Kingdom - Phone: +44 1484 722888

Order Form - Progeo DUKE

Date ..... Order ..... User ..... Address .....

Handrim	**Wheel distance ☆ 3 cm ☐ 4 cm**			
☆ Aluminium	(22"-24"-25"-26")	*Lightest configuration*		
○ Aluminium black SOFT-TOUCH	(24"-25")	(24" handrim, on 25" wheel is installed with spacers)	09170	160,00
○ Chromed Steel	(24"-25")	(24" handrim, on 25" wheel is installed with spacers)	01684	160,00
○ Titanium	(24"-25")	(24" handrim, on 25" wheel is installed with spacers)	00016	290,00
○ Ultra Grepp	(24"-25")	(24" handrim, on 25" wheel is installed with spacers)	00017	290,00
○ TOP FRICTION	(24"-25")	(24" handrim, on 25" wheel is installed with spacers)	11023	290,00
Oval countour with a rubber insert				
○ NOVA H	(24"-25")	(24" handrim, on 25" wheel is installed with spacers)	11025	290,00
Ergonomic black profile				
○ NOVA D	(24"-25")	(24" handrim, on 25" wheel is installed with spacers)	11026	290,00
Ergonomic profile with rubber coating (ideal for quadriplegics)				
○ Silicon cover for standard aluminium handrim		Available for measures (22"- 24" - 26")	04050	172,00

Wheel locks				
☆ Bent lever push to lock				
☐ Straight lever push to lock				
☐ Straight lever pull to lock				
○ Sport brake			06428	135,00
○ Brake with extension lever push to lock			01949	68,00
○ Brake with extension lever pull to lock			03372	68,00
Armrests				
○ Tubolar armrests	(Swing away, removable and height adjustable armrest)		00694	270,00
○ Removable armrest with carbon-fiber straight sideguard			09079	240,00
The distance between the two side guards is 1 cm wider than the seat width				
Accessories				
○ Pad for front frame protectors			07058	56,00
○ Backrest-seat connection cloth			10241	25,00
○ Removable storage bag (with quick coupling)			09811	135,00
Optional 1				
<u>Only one optional devices for side can be chosen</u>				
○ Transit wheels	Exclude the installation of Anti-tippers		03290	158,00
○ Anti-tipper with rapid hookup	Exclude the installation of Transit wheels			
	(inside rotation to reduce the encumbrance)			
	○ Right		06821	145,00
	○ Left		06822	145,00
Optional 2				
○ Push handles for companion	(Removable and height adjustable)		03645	189,00
○ Tetraclip	(Quick release axle for quadriplegic)		03947	189,00
○ Safety pelvic belt			03972	68,00
○ Harness			04103	145,00
○ Lumbar support	(to insert in the backrest upholstery)		00013	43,00
○ Swing away lateral support	Not available with Posture backrest PHYSIO - Posture backrest A I R			
Prevents backrest folding				
	○ Right		02097	270,00
	○ Left		02098	270,00
○ Spoke guards Black	(22"-24")		01043	158,00
○ Spoke guards Transparent	(22"-24")		00835	158,00
○ Spoke guards Progeo design	(22"-24")		00019	189,00
Additional Kit				
○ 24" Off-road rear wheels	Off-Road tyre - aluminium handrim (black colour)		03378	534,00
○ 24" FAT rear wheels	FAT tyre 3" - aluminium handrim (black colour)		09357	895,00

customer_support_uk@permobil.com - https://www.permobil.com/en-gb

Date ..... Order ..... User ..... Address .....

Permobil LimitedUnit 7, Polaris Centre, 41 Brownfields,Welwyn Garden City, Herts, AL7 1ANUnited Kingdom - Phone: +44 1484 722888

customer_support_uk@permobil.com - https://www.permobil.com/en-gb

PHYSIO - Posture backrest
(Std. Backrest upholstery not provided)

Removable with quick release
Suitable for tubes with diameter 18÷26mm
Depth adjustment (4cm)
Angle adjustment (±18°)

○ AIR Carbon shell — **1.121,00**

not available for seat width 48

BACKREST HEIGHT	28		34		40	
Shell's shape	Lateral retaining wing A=high - R=regular					
	A	R	A	R	A	R
7,5 cm	☐	☐	☐	☐	☐	☐

○ POSTURE Aluminum shell — **1.085,00**

BACKREST HEIGHT	34	40	52
Shell's shape	Lateral retaining wing R=regular		
	R	R	R
7,5 cm	☐	☐	☐

Configuration DEEP with side support PAD (height adjustable)

Alluminum lateral with padded, breathable upholdstery.

15 cm

Small (h 13cm)		Large (h 20cm)	
○ Right 10272	49,00	○ Right 10273	49,00
○ Left 10272	49,00	○ Left 10273	49,00

SWING AWAY - Lateral support

Fixing and adjustment hardware complete with protection sleeve
Alluminum lateral with padded, breathable upholdstery.

○ Large (18x12)	05647	196,00
○ Small (14x9)	05643	196,00
○ Lateral support extension — Quantity (number pcs).....	10271	74,00
○ Lateral support extension — Quantity (number pcs).....		
○ Small (14x9)	05642	196,00
○ Large (18x12)	05646	196,00

○ Headrest adjustable - Double ball mounting system

Available only with backrest Physio Posture

○ Large (35x12,5)	05648	385,00
○ Small (25x12,5)		

Order Form - Progeo DUKE

Date Order User Address

Permobil LimitedUnit 7, Polaris Centre, 41 Brownfields,Welwyn Garden City, Herts, AL7 1ANUnited Kingdom - Phone: +44 1484 722888

customer_support_uk@permobil.com - https://www.permobil.com/en-gb

Note

Wheelchair : Progeo DUKE - Rev. 2026.1

Prices - VAT excluded
to be added to the price list

Send this page only if any optional have been chosen

☆	standard	(supplied if no requests are indicated)
☐	on request	(without extra charge)
○	optional	(cost to be added at the basic price)