ORDER FORM

REHASENSE

ECO TRAVEL

Company/Customer ID:		**P.O. Number:**	**Date:**
Contact person:		**Other delivery address/Company:**	
Street address:		**Street address:**	
City and Post Code:		**City and Post Code:**	
TEL:		**Remark:**	
E-Mail:			

☐ REQUEST A QUOTE ☐ PLACE AN ORDER

User Information:	**Form of the front tubes:**
User name as reference:	☐ **ROUND**
Wheelchair Brand/Model:	☐ **OVAL**
Approx user weight:	☐ **KÜSCHALL K2**
Front Tube Diameter:	☐ **KÜSCHALL K1**
Distance between front tubes (center to center):	☐ **MEYRA FEMTO R**
REQUEST DELIVERY DATE:	☐ **MAYRA FEMTO X/S**
	☐ **OFFCARR THEMIS**
	☐ **OFFCARR HEKA**

Note: The maximum speed must be configured in accordance with the legal requirements of the country in which the device will be used. Always drive within your ability to control the device to a safe stop. Using/driving the device at uncontrollable speeds is the user's responsibility and the manufacturer/dealer will deny/refuse any responsibility of accidents or damages to third party.

Note: The ECO Travel should not be used with carbon wheelchairs. For more information, please contact your dealer. We do not recommend using this combination and cannot accept responsibility for any damage resulting from such use.

1. ECO TRAVEL Lx (incl. travel bag designed for it and safe travel)


Picture	Specifications		Price excl. VAT	Select the type	Qty
	• **Motor:** 350W incl. 8”/200 mm rubber tire • **Battery:** Lithium-ion, 48V, 5.8Ah (278Wh) • **Driving range:** up to 45 km • **Max speed:** up to 20 km/h (3 gears) • **Max user weight:** 110 kg • **Docking:** Manual • **Width range for wheelchair installation:** 210-480 mm • **Compatible wheelchairs:** Rigid & folding frames • **ECO Travel Lx net weight:** 8.88 kg • **ECO Travel Lx complete weight:** 13.86 kg • **Total weight incl. travel bag and charger:** 23.5 kg	Black	RET08BKA00 £ 2495.00	Standard handles ◯	
			RET08BKA0T £ 2895.00	Tetra handles ◯	
		Green	RET08GRA00 £ 2495.00	Standard handles ◯	
			RET08GRA0T £ 2895.00	Tetra handles ◯	
		Orange	RET08ORA00 £ 2495.00	Standard handles ◯	
			RET08ORA0T £ 2895.00	Tetra handles ◯	
		Blue	RET08BLA00 £ 2495.00	Standard handles ◯	
			RET08BLA0T €£ 2895.00	Tetra handles ◯	
		Red	RET08REA00 £ 2495.00	Standard handles ◯	
			RET08REA0T £ 2895.00	Tetra handles ◯	

1. ECO TRAVEL Bx

Picture	Specifications		Price excl. VAT	Select the type	Qty
	• **Motor:** 250W incl. 8”/200 mm rubber tire • **Battery:** Lithium-ion, 48V, 5.8Ah (278Wh) • **Driving range:** up to 45 km • **Max speed:** up to 15 km/h (2 gears) • **Max user weight:** 110 kg • **Docking:** Manual • **Width range for wheelchair installation:** 210-480 mm • **Compatible wheelchairs:** Rigid & folding frames • **ECO Travel Bx net weight:** 7.9 kg • **ECO Travel Bx complete weight:** 12.88 kg	Black	RET08BKS00 £ 2195.00	Standard handles ◯	





Note: ECO Travel Bx version cannot be equipped with: thumb throttle, left throttle and longer stem bar.

3. Arms with raised clamp holder for correct clamping

Picture	Picture	Description	Extra price excl. VAT	Opt.	Qty.
		Arms **100 mm** with **80 mm** raised clamp holder for mounting widths 245-345 mm Mounting heights: 310-360 mm* Items: R: EBC220A / L: EBC220B	included	◯	
		Arms **150 mm** with **80 mm** raised clamp holder for mounting widths 335-415 mm Mounting heights: 310-360 mm* Items: R: EBC220A2 / L: EBC220B2	£ 0,00	◯	
		Arms **190 mm** with **80 mm** raised clamp holder for mounting widths 415-480 mm Mounting heights: 310-360 mm* Items: R: EBC220A3 / L: EBC220B3	£ 0,00	◯	
		Arms **100 mm** with **130 mm** raised clamp holder for mounting widths 245-345 mm. Mounting heights: 360-405 mm* Items: R: EBC220C / L: EBC220D	£ 0,00	◯	
		Arms **150 mm** with **130 mm** raised clamp holder for mounting widths 335-415 mm. Mounting heights: 360-405 mm* Items: R: EBC220C2 / L: EBC220D2	£ 0,00	◯	
		Arms **190 mm** with **130 mm** raised clamp holder for mounting widths 415-480 mm. Mounting heights: 360-405 mm* Items: R: EBC220C3 / L: EBC220D3	£ 0,00	◯	
		Arms **100 mm** with **190 mm** raised clamp holder for mounting widths 245-345 mm. Mounting heights: 420-470 mm* Items: R: EBC220E / L: EBC220F	£ 0,00	◯	
		Arms **150 mm** with **190 mm** raised clamp holder for mounting widths 335-415 mm. Mounting heights: 420-470 mm* Items: R: EBC220E2 / L: EBC220F2	£ 0,00	◯	
		Arms **190 mm** with **190 mm** raised clamp holder for mounting widths 415-480 mm. Mounting heights: 420-470 mm* Items: R: EBC220E3 / L: EBC220F3	£ 0,00	◯	
		Arms **100 mm** with **80 mm** raised and angled clamp holder for mounting widths 210-310 mm Mounting heights: 310-360 mm* Items: R: EBC220G / L: EBC220H Can only be used for round tubes!	£ 0,00	◯	
		Arms **100 mm** with **130 mm** raised and angled clamp holder for mounting widths 210-310 mm Mounting heights: 360-405 mm* Items: R: EBC220J / L: EBC220K Can only be used for round tubes!	£ 0,00	◯	
		Arms **100 mm** with **190 mm** raised and angled clamp holder for mounting widths 210-310 mm Mounting heights: 420-470 mm* Items: R: EBC220L / L: EBC220R Can only be used for round tubes!	£ 0,00	◯	

*** measured from the ground to the top side of the clamp**


4. Clamps

Picture	Description	Extra price excl. VAT	Opt.
	**Standard clamp 50 mm for round tubes**, black – LEFT Item number: EBX035-BK **Standard clamp 50 mm for round tubes**, black – RIGHT Item number: EBX036-BK	included	◯
	**Standard clamp 50 mm with safety lock**, black – LEFT Item number: EBX035T-BK **Standard clamp 50 mm with safety lock**, black – RIGHT Item number: EBX036T-BK	£ 0.00	◯
	**70 mm clamp for round tubes**, black – LEFT Item number: EBX03C-BK **70 mm clamp for round tubes**, black – RIGHT Item number: EBX03D-BK	£ 0.00	◯
	K2 K1 MEYRA FEMTO R OFFCARR THEMIS **Clamps 50 mm** for Küschall K2, K1, Meyra FEMTO R and OFFCARR Themis tube profiles, black Item numbers: L: EBX06F-BK / R: EBX06E-BK MEYRA FEMTO X/S: ☐ OFFCARR HEKA: ☐	£ 0.00	◯
	K2 K1 MEYRA FEMTO R OFFCARR THEMIS **Clamps 70 mm** for Küschall K2, K1, Meyra FEMTO R and OFFCARR Themis tube profiles, black Item numbers: L: EBX06H-BK / R: EBX06G-BK MEYRA FEMTO X/S: ☐ OFFCARR HEKA: ☐	£ 0.00	◯
	**Clamp 50 mm for Oval tubes**, black – LEFT Item number: EBX07A-BK **Clamp 50 mm for Oval tubes**, black – RIGHT Item number: EBX07B-BK	£ 0.00	◯
	**Clamp 70 mm for Oval tubes**, black – LEFT Item number: EBX07C-BK **Clamp 70 mm for Oval tubes**, black – RIGHT Item number: EBX07D-BK	£ 0.00	◯
	**40 mm clamp for round tubes**, black – LEFT Item number: EBX03A-BK **40 mm clamp for round tubes**, black – RIGHT Item number: EBX03B-BK	£ 0.00	◯
	**Clamp 50 mm with cut-out for T-joint** – LEFT Item number: EBX03F-BK **Clamp 50 mm with cut-out for T-joint** – RIGHT Item number: EBX03E-BK	£ 0.00	◯
	**Clamp 65 mm with offset cut-out for T-joint** – LEFT Item number: EBX03H-BK **Clamp 65 mm with offset cut-out for T-joint** – RIGHT Item number: EBX03G-BK	£ 0.00	◯
Any additional info / remark?			

5. Longer spindle for manual clamps

Picture	Description	Extra price excl. VAT	Optional	Qty.
	Longer spindle for larger opening required for tube diameter over ø32 mm Item number: EBX058L (1 piece)	£ 0.00	☐	
Important: Please note that you need 2 pcs per wheelchair				

6. Clamp tubes

Picture	Description	Extra price excl. VAT	Optional	Qty.
	Standard clamp tube, 160/100 mm, black alu. Item number: EBC213-BK (1 piece)	included	◯	
	Long clamp tube, 210/150 mm, black alu. Item number: EBC213A-BK (1 piece)	£ 0.00	◯	
Important: Please note that you need 2 pcs per wheelchair				

7. Tube protectors

Picture	Description	Price per set	Optional	Qty
	Tube protector for Panthera wheelchairs Item number for 1 piece: EBC02N (x 2pcs)	£ 30.00	☐	
	Tube protector 65 mm for ø22 mm tubes and clamps 50 mm Item number for 1 piece: EBC06N (x 2pcs)	£ 30.00	☐	
	Tube protector 86 mm for ø22 mm tubes and clamps 70 mm Item number for 1 piece: EBC06N-L (x 2pcs)	£ 30.00	☐	
	Tube protector 65 mm for ø25 mm tubes and clamps 50 mm Item number for 1 piece: EBC05N (x 2pcs)	£ 30.00	☐	
	Tube protector 86 mm for ø25 mm tubes and clamps 70 mm Item number for 1 piece: EBC05N-L (x 2pcs)	£ 30.00	☐	
Important: Please note that you need 2 pcs per wheelchair)				


8. Handlebar Stem – option only available for ECO Travel LX

Pictures	Description	Extra price excl. VAT	Optional	Qty.
	Default for ECO Travel Bx with 110 mm fixed length Item number: EBH07GA	included	☐	
	Default for ECO Travel Lx with adjustable length 180-215 mm Item number: EBH06GA	included	☐	
	Alternative length for ECO Travel Lx, with adjustable length 210-265 mm Item number: EBH08GA	£ 50.00	☐	
	Alternative clamp for handlebar stem with bigger angle. May be necessary in specific situations. Item number: EBH200-ET	£ 25.00	☐	

9. Accessories

Picture	Description	Extra price excl. VAT	Opt.	Qty.
	High capacity **Lithium-ion battery**, 48V, 11.6 Ah, 556.8 Wh – 3.1 kg			
	Battery with black sticker – EBB0048T2B	£ 399.00	☐	
	Battery with orange sticker – EBB0048T2O	£ 399.00	☐	
	Battery with red sticker – EBB0048T2R	£ 399.00	☐	
	Battery with green sticker – EBB0048T2G	£ 399.00	☐	
	Battery with blue sticker – EBB0048T2L	£ 399.00	☐	
	Footplate solution for wheelchairs with removable legrests Item number: EBL01K	£ 200.00	☐	
	ECO Travel battery bag for safe, easy transport. Durable design protects the battery and includes two pockets for keys and other items. Item number: 9311EBC	£ 30.00	☐	

9. Accessories continues

Picture	Description	Extra price excl. VAT	Opt.	Qty.
	Left throttle complete conversion set with items required for mounting brake lever on left side. Item number: EBH00Z-1 Pick a side of brake lever: Left: ☐ Right: ☐ **Only for Lx version. **After conversion handlebar will be 3 cm longer	£ 0.00	☐	
	Thumb throttle conversion set. Item number: EBH00Z-2 Pick a side of thumb throttle: Left: ☐ Right: ☐ **Due to limited handlebar space, the brake lever can only be installed on the right side **Only for Lx version. **After conversion handlebar will be 3 cm longer	£ 50.00	☐	
	**Safety lock** for clamp handle which prevents unwanted clamp opening during driving with your dog, driving with something in your lap, etc. Item number: EBX035-S (1 piece)	£ 8.00	☐	

Other important information for that order (copy of the mail etc.)

Note:
Always drive within your ability to control the device to a safe stop. Using/driving the device at uncontrollable speeds is the user's responsibility and the manufacturer/dealer will deny/refuse any responsibility of accidents or damages to third party. Disclaimer to be signed if custom speed has been set up We herewith advise, that using the PAWS with max. speed-settings higher than 4 Mph is only permitted on public roads in certain countries and otherwise may only be used on private property. In the absence of approval, in accordance with the road traffic laws, the PAWS with speed-settings higher than 4 Mph may not be driven on public roads, bicycle-lanes and pavements. You need to inform yourself about the country specific legislation regarding usage and your legal obligation to insure the PAWS, speed settings higher than 4 Mph (8,12 and 18 Mph). When you´re travelling with your PAWS, always check the specific legislation in the respective country. When placing an order for a max. speed-setting higher than 4 Mph please confirm with your signature below, that you have understood the above information and that you only intend the usage of your PAWS on private property. We herewith advise, that using the PAWS with max. speed-settings higher than 4 Mph is only permitted on public roads in certain countries and other wise may only be used on private property. please confirm with your signature below, that you have understood the above information and that you only intend the usage of your PAWS on private property herewith confirm, that I am aware of the information above, that I will follow strictly the country specific legislation.

Date	**Customer Signature**